


10 Body Structure


Sheet Metal Description

1. Front body



No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
1	FRONT FENDER		1	-	0.7	○
2	DEFLECTOR PANEL		1	-	1.4	-
3	BATTERY TRAY	L	1	-	1.2	○
4	WHEEL HOUSE PANEL	L	1	390	0.8	○
5	WHEEL HOUSE PANEL	R	1	390	0.8	○
6	DEFLECTOR SUPPORT		1	-	1.0	○
7	DASH LOWER SUB PANEL		1	-	0.9	○


2. Side body (Regular Cab)



No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
1	SIDE OUTER PANEL		1	-	0.7	○
2	SIDE INNER LOWER REINFORCEMENT		1	390	1.2	○
3	REAR PILLAR INNER PANEL		1	980	1.4	○
4	REAR PILLAR REINFORCEMENT		1	980	1.4	○
5	FENDER BRACKET		1	-	1.0	○
6	BODY SIDE INNER REINFORCEMENT		1	980	1.2	-
7	ROCKER REINFORCEMENT		1	980	1.0	○
8	FRONT PILLAR INNER PANEL		1	980	1.2	-
9	DASH SIDE INNER PANEL		1	390	1.2	-
10	COWL SIDE REINFORCEMENT		1	-	1.2	○


12 Body Structure

3. Side body (Extended Cab)



No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
1	SIDE OUTER PANEL		1	-	0.7	○
2	SIDE INNER LOWER REINFORCEMENT		1	390	1.2	○
3	REAR PILLAR INNER PANEL		1	980	1.0	-
4	REAR PILLAR REINFORCEMENT		1	590	1.0	○
5	FENDER BRACKET		1	-	1.0	○
6	BODY SIDE INNER REINFORCEMENT		1	980	1.2	-
7	ROCKER REINFORCEMENT		1	980	1.0	○
8	FRONT PILLAR INNER PANEL		1	980	1.2	-
9	DASH SIDE INNER PANEL		1	390	1.2	-
10	COWL SIDE REINFORCEMENT		1	-	1.2	○
11	HEADER PANEL		1	980	1.2	-

4. Side body (Crew Cab)




No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
1	CENTER PILLAR REINFORCEMENT		1	980	1.4	-
2	CENTER PILLAR INNER PANEL		1	980	1.4	-
3	SIDE OUTER PANEL		1	-	0.7	○
4	REAR PILLAR INNER LOWER PANEL		1	-	0.8	○
5	STRIKER PLATE		1	-	1.6	-
6	SIDE INNER LOWER REINFORCEMENT		1	390	1.2	○
7	REAR PILLAR INNER PANEL		1	-	1.0	-
8	FENDER BRACKET		1	-	1.0	○
9	BODY SIDE INNER REINFORCEMENT		1	980	1.2	-
10	ROCKER REINFORCEMENT		1	980	1.0	○
11	FRONT PILLAR INNER PANEL		1	980	1.2	-

14 Body Structure

No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
12	DASH SIDE INNER PANEL		1	390	1.2	-
13	COWL SIDE REINFORCEMENT		1	-	1.2	o
14	HEADER PANEL		1	980	1.2	-


5. Roof / Cabin back (Regular Cab)



No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
1	ROOF PANEL		1	-	0.7	-
2	ROOF REAR PANEL		1	440	0.7	-
3	ROOF REAR REINFORCEMENT		1	590	1.0	-
4	ROOF SUPPORT FRONT PANEL		1	440	0.7	-
5	ROOF BACK TRIM BRACKET		2	-	1.0	-
6	ROOF FRONT PANEL		1	780	1.0	-
7	BACK OUTER PANEL		1	-	0.7	○


16 Body Structure

6. Roof / Cabin back (Extended Cab)



No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
1	ROOF PANEL		1	-	0.7	-
2	ROOF REAR PANEL		1	440	0.7	-
3	ROOF REAR REINFORCEMENT		1	590	1.0	-
4	ROOF SUPPORT REAR PANEL		1	-	0.6	-
5	ROOF SUPPORT CENTER PANEL		1	780	1.2	-
6	ROOF SUPPORT FRONT PANEL		1	440	0.7	-
7	ROOF FRONT PANEL		1	780	1.0	-
8	BACK OUTER PANEL		1	-	0.7	○


7. Roof / Cabin back (Crew Cab)



No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
1	ROOF PANEL		1	-	0.7	-
2	ROOF REAR PANEL		1	440	0.7	-
3	ROOF SUPPORT REAR PANEL		2	-	0.6	-
4	ROOF SUPPORT CENTER PANEL		1	780	1.2	-
5	ROOF SUPPORT FRONT PANEL		1	440	0.7	-
6	ROOF BACK TRIM BRACKET		2	-	1.0	-
7	ROOF FRONT PANEL		1	780	1.0	-
8	BACK OUTER PANEL		1	-	0.7	○

18 Body Structure

8. Floor (Regular Cab)




No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
1	FLOOR PANEL		1	-	0.7	○
2	GUSSET		2	590	1.2	○
3	FRONT TUNNEL REINFORCEMENT		1	590	1.2	-
4	ROCKER INNER PANEL		2	980	1.0	○
5	CENTER CAB MOUNTING BRACKET		2	440	1.0	○
6	REAR MOUNT BRACKET		2	440	1.8	○
7	TOOL JACK BRACKET		1	-	1.2	-
8	FLOOR UNDER REINFORCEMENT		2	590	0.7	○
9	G-SENSOR BRACKET		2	-	1.2	-
10	FRONT SEAT RISER BRACKET		2	590	1.4	-
11	REAR FLOOR PANEL		1	-	0.7	○

No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
12	FLOOR CENTER REINFORCEMENT		1	-	0.8	○
13	FRONT FLOOR SILL		2	-	1.0	-
14	FRONT SEAT REAR SILL		1	590	1.2	○
15	TOOL RUBBER BRACKET		1	440	1.4	-

20 Body Structure

9. Floor (Extended Cab)




No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
1	FLOOR PANEL		1	-	0.7	○
2	GUSSET		2	590	1.2	○
3	FRONT TUNNEL REINFORCEMENT		1	590	1.2	-
4	ROCKER INNER PANEL		2	980	1.0	○
5	CENTER CAB MOUNTING BRACKET		2	440	1.0	○
6	SEAT RISER PANEL		1	-	0.8	-
7	FLOOR UNDER REINFORCEMENT		2	590	0.7	○
8	FLOOR REAR REINFORCEMENT		2	-	0.7	○
9	G-SENSOR BRACKET		2	-	1.2	-
10	FRONT SEAT RISER BRACKET		2	590	1.4	-
11	REAR FLOOR PANEL		1	-	0.7	○

No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
12	FLOOR CENTER REINFORCEMENT		1	-	0.8	○
13	FRONT FLOOR SILL		2	-	1.0	-
14	FRONT SEAT REAR SILL		1	590	1.2	○
15	REAR FLOOR SILL		1	440	1.2	○

22 Body Structure

10. Floor (Crew Cab)




No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
1	FLOOR PANEL		1	-	0.7	○
2	GUSSET		2	590	1.2	○
3	REAR SEAT SIDE GUSSET		2	-	1.0	○
4	FRONT TUNNEL REINFORCEMENT		1	590	1.2	-
5	ROCKER INNER PANEL		2	980	1.0	○
6	CENTER CAB MOUNTING BRACKET		2	440	1.0	○
7	TOOL JACK BRACKET		1	-	1.0	-
8	SEAT RISER PANEL		1	-	0.7	-
9	FLOOR UNDER REINFORCEMENT		2	590	0.7	○
10	FLOOR REAR REINFORCEMENT		2	-	0.7	○
11	G-SENSOR BRACKET		2	-	1.2	-


No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
12	FRONT SEAT RISER BRACKET		2	590	1.4	-
13	REAR FLOOR PANEL		1	-	0.7	○
14	FLOOR CENTER REINFORCEMENT		1	-	0.8	○
15	FRONT FLOOR SILL		2	-	1.0	-
16	FRONT SEAT REAR SILL		1	590	1.2	○
17	REAR FLOOR SILL		1	440	1.2	○

24 Body Structure

11. Deck (Regular Cab)




No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
1	REAR BODY FLOOR BOARD PANEL		1	440	1.0	○
2	REAR BODY REAR END BOLSTER		1	-	1.2 / 1.4	○
3	REAR BODY BOLSTER		2	440	1.2	○
4	REAR BODY BOLSTER		2	440	1.2	○
5	REAR BODY CROSS SILL NO.2		2	440	1.2	○
6	SILL REINFORCEMENT		2	-	1.0	○
7	REAR BODY SILL EXTENSION		1	-	1.0	○



No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
1	REAR CORNER PANEL		1	-	1.4	○
2	REAR CORNER PANEL		1	-	0.9	○
3	REAR CORNER PANEL		1	-	1.2	○
4	SIDE PANEL		1	-	0.8	○
5	REAR BODY SIDE INNER PANEL		1	-	0.9	○
6	REAR BODY FUEL FILLER NECK RECESS		1	-	0.8	○
7	REAR BODY FRONT FILLER		1	-	1.0	○
8	REAR BODY FUEL FILLER LID ASSEMBLY		1	-	0.7	○
9	SIDE GATE UPPER RAIL		1	-	0.9	○
10	REAR BODY EXTENSION		4	-	1.6	○
11	REAR BODY REINFORCEMENT		1	-	1.0	○
12	REAR BODY OUTER BRACKET		1	-	0.8	○
13	FILLER BRACKET		1	-	1.0	○
14	REAR BODY BRACKET		1	-	1.4	○

26 Body Structure

No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
15	REAR BODY BRACKET		1	440	1.6	○
16	REAR BODY INNER REINFORCEMENT		1	-	1.4	○
17	REAR BODY SILL REINFORCEMENT		2	-	1.4	○
18	REAR BODY SILL REINFORCEMENT		1	-	1.4	○
19	REAR BODY FRONT PANEL		1	-	0.8	○
20	BAR ASSEMBLY		1	-	1.8	○




No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
1	REAR CORNER PANEL		1	-	1.4	○
2	REAR CORNER PANEL		1	-	0.9	○
3	REAR CORNER PANEL		1	-	1.2	○
4	SIDE PANEL		1	-	0.8	○
5	REAR BODY SIDE INNER PANEL		1	-	0.9	○
6	REAR BODY FRONT FILLER		1	-	1.0	○
7	SIDE GATE UPPER RAIL		1	-	0.9	○
8	REAR BODY EXTENSION		4	-	1.6	○
9	REAR BODY REINFORCEMENT		1	-	1.0	○
10	REAR BODY OUTER BRACKET		1	-	0.8	○
11	REAR BODY BRACKET		1	-	1.4	○
12	REAR BODY BRACKET		1	-	1.4	○
13	REAR BODY SILL REINFORCEMENT		2	-	1.4	○


28 Body Structure

No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
14	REAR BODY SILL REINFORCEMENT		1	-	1.4	○
15	FILLER BRACKET		1	-	1.0	○

12. Deck (Extended Cab)




No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
1	REAR BODY FLOOR BOARD PANEL		1	440	1.0	○
2	REAR BODY REAR END BOLSTER		1	-	1.2 / 1.4	○
3	REAR BODY BOLSTER		2	440	1.2	○
4	REAR BODY CROSS SILL NO.1		1	440	1.2	○
5	REAR BODY CROSS SILL NO.2		1	440	1.2	○
6	REAR BODY SILL EXTENSION		1	-	1.0	○



No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
1	REAR CORNER PANEL		1	-	1.4	○
2	REAR CORNER PANEL		1	-	1.2	○
3	REAR CORNER PANEL		1	-	1.0	○
4	SIDE PANEL		1	-	0.7	○
5	REAR BODY SIDE INNER PANEL		1	-	0.9	○
6	REAR BODY FUEL FILLER NECK RECESS		1	-	0.8	○
7	REAR BODY FRONT FILLER		1	-	1.0	○
8	REAR BODY FUEL FILLER LID ASSEMBLY		1	-	0.7	○
9	REAR BODY EXTENSION		2	-	1.6	○
10	REAR BODY EXTENSION		1	-	1.6	○
11	REAR BODY REINFORCEMENT		1	-	1.0	○
12	REAR BODY OUTER BRACKET		1	-	0.8	○
13	FILLER BRACKET		1	-	1.0	○

No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
14	REAR BODY BRACKET		1	-	1.4	○
15	REAR BODY BRACKET		1	440	1.6	○
16	REAR BODY INNER REINFORCEMENT		1	-	1.4	○
17	REAR BODY SILL REINFORCEMENT		2	-	1.4	○
18	REAR BODY SILL REINFORCEMENT		1	-	1.4	○
19	REAR BODY FRONT PANEL		1	-	0.8	○
20	BAR ASSEMBLY		1	-	1.8	○




No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
1	REAR CORNER PANEL		1	-	1.4	○
2	REAR CORNER PANEL		1	-	1.0	○
3	REAR CORNER PANEL		1	-	1.2	○
4	SIDE PANEL		1	-	0.7	○
5	REAR BODY SIDE INNER PANEL		1	-	0.9	○
6	REAR BODY FRONT FILLER		1	-	1.0	○
7	REAR BODY EXTENSION		2	-	1.6	○
8	REAR BODY EXTENSION		1	-	1.6	○
9	REAR BODY REINFORCEMENT		1	-	1.0	○
10	REAR BODY OUTER BRACKET		1	-	0.8	○
11	REAR BODY BRACKET		1	-	1.4	○
12	REAR BODY INNER REINFORCEMENT		1	-	1.4	○
13	REAR BODY SILL REINFORCEMENT		2	-	1.4	○


No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
14	REAR BODY SILL REINFORCEMENT		1	-	1.4	○
15	FILLER BRACKET		1		1.0	○

34 Body Structure

13. Deck (Crew Cab)




No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
1	REAR BODY FLOOR BOARD PANEL		1	440	1.0	○
2	REAR BODY REAR END BOLSTER		1	-	1.2 / 1.4	○
3	REAR BODY BOLSTER		2	440	1.2	○
4	REAR BODY CROSS SILL NO.1		1	440	1.4	○
5	REAR BODY CROSS SILL NO.2		1	440	1.2	○



No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
1	REAR CORNER PANEL		1	-	1.4	○
2	REAR CORNER PANEL		1	-	1.2	○
3	REAR CORNER PANEL		1	-	1.0	○
4	SIDE PANEL		1	-	0.7	○
5	REAR BODY SIDE INNER PANEL		1	-	0.9	○
6	REAR BODY FUEL FILLER NECK RECESS		1	-	0.8	○
7	REAR BODY FRONT FILLER		1	-	1.0	○
8	REAR BODY FUEL FILLER LID ASSEMBLY		1	-	0.7	○
9	REAR BODY EXTENSION		2	-	1.6	○
10	REAR BODY REINFORCEMENT		1	-	1.0	○
11	REAR BODY OUTER BRACKET		1	-	0.8	○
12	FILLER BRACKET		1	-	1.0	○
13	REAR BODY BRACKET		1	-	1.4	○

36 Body Structure

No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
14	REAR BODY BRACKET		1	440	1.6	○
15	REAR BODY BRACKET		1	-	1.0	○
16	REAR BODY SILL REINFORCEMENT		2	-	1.4	○
17	REAR BODY SILL REINFORCEMENT		1	270 / 440	1.4	○
18	REAR BODY FRONT PANEL		1	-	0.8	○
19	BAR ASSEMBLY		1	-	1.8	○
20	REAR BODY FRONT REINFORCEMENT		1	-	0.8	○




No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
1	REAR CORNER PANEL		1	-	1.4	○
2	REAR CORNER PANEL		1	-	1.2	○
3	REAR CORNER PANEL		1	-	1.0	○
4	SIDE PANEL		1	-	0.7	○
5	REAR BODY SIDE INNER PANEL		1	-	0.9	○
6	REAR BODY FRONT FILLER		1	-	1.0	○
7	REAR BODY EXTENSION		2	-	1.6	○
8	REAR BODY REINFORCEMENT		1	-	1.0	○
9	REAR BODY OUTER BRACKET		1	-	0.8	○
10	REAR BODY BRACKET		1	-	1.4	○
11	REAR BODY BRACKET		1	-	1.0	○
12	REAR BODY SILL REINFORCEMENT		2	-	1.4	○
13	REAR BODY SILL REINFORCEMENT		1	270 / 440	1.4	○

38 Body Structure

No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
14	FILLER BRACKET		1	-	1.0	○

14. Frame (Regular Cab)




No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
1	FRAME ASSEMBLY		1	-	-	-
2	1ST CROSS MEMBER		1	-	-	-
3	SUSPENSION CROSS MEMBER		1	-	-	-
4	ENGINE MOUNTING BRACKET	L	1	-	-	-
5	ENGINE MOUNTING BRACKET	R	1	-	-	-
6	FRONT SPRING FRONT BRACKET		1	-	-	-
7	CAB MOUNTING BRACKET		2	-	-	-
8	CAB MOUNTING BRACKET	L	1	-	-	-
9	CAB MOUNTING BRACKET	R	1	-	-	-
10	CAB MOUNTING BRACKET		2	-	-	-
11	FRONT SPRING REAR BRACKET		1	-	-	-

40 Body Structure

No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
12	CROSS MEMBER BRACKET		1	-	-	-
13	REAR SPRING FRONT BRACKET	L	1	-	-	-
14	REAR SPRING FRONT BRACKET	R	1	-	-	-
15	REAR SPRING REAR BRACKET		2	-	-	-
16	REAR BODY MOUNTING BRACKET		2	-	-	-
17	REAR BODY MOUNTING BRACKET	L	1	-	-	-
18	REAR BODY MOUNTING BRACKET	R	1	-	-	-
19	REAR BODY MOUNTING BRACKET	L	1	-	-	-
20	REAR BODY MOUNTING BRACKET	R	1	-	-	-
21	REAR BODY MOUNTING BRACKET	L	1	-	-	-
22	REAR BODY MOUNTING BRACKET	R	1	-	-	-
23	FRONT PLATE	L	1	-	-	-
24	FRONT PLATE	R	1	-	-	-
25	REAR BODY MOUNTING BRACKET	L	1	-	-	-
26	REAR BODY MOUNTING BRACKET	R	1	-	-	-
27	TRANSMISSION MOUNTING CROSS MEMBER		1	-	-	-
28	SHOCK ABSORBER BRACKET	L	1	-	-	-
29	SHOCK ABSORBER BRACKET	R	1	-	-	-
30	CROSS MEMBER		1	-	-	-
31	BUMPER RUBBER BRACKET	L	1	-	-	-
32	BUMPER RUBBER BRACKET	R	1	-	-	-
33	HOSE BRACKET		1	-	-	-
34	SIDE MEMBER EXTENSION ROD		1	-	-	-
35	SHOCK ABSORBER PIN		2	-	-	-

15. Frame (Extended Cab)




No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
1	FRAME ASSEMBLY		1	-	-	-
2	1ST CROSS MEMBER		1	-	-	-
3	SUSPENSION CROSS MEMBER		1	-	-	-
4	ENGINE MOUNTING BRACKET	L	1	-	-	-
5	ENGINE MOUNTING BRACKET	R	1	-	-	-
6	FRONT SPRING FRONT BRACKET		1	-	-	-
7	CAB MOUNTING BRACKET		2	-	-	-
8	CAB MOUNTING BRACKET	L	1	-	-	-
9	CAB MOUNTING BRACKET	R	1	-	-	-
10	CAB MOUNTING BRACKET	L	1	-	-	-
11	CAB MOUNTING BRACKET	R	1	-	-	-

42 Body Structure

No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
12	FRONT SPRING REAR BRACKET		1	-	-	-
13	CROSS MEMBER BRACKET		1	-	-	-
14	REAR SPRING FRONT BRACKET	L	1	-	-	-
15	REAR SPRING FRONT BRACKET	R	1	-	-	-
16	REAR SPRING REAR BRACKET		2	-	-	-
17	REAR BODY MOUNTING BRACKET		2	-	-	-
18	REAR BODY MOUNTING BRACKET	L	1	-	-	-
19	REAR BODY MOUNTING BRACKET	R	1	-	-	-
20	REAR BODY MOUNTING BRACKET	L	1	-	-	-
21	REAR BODY MOUNTING BRACKET	R	1	-	-	-
22	REAR BODY MOUNTING BRACKET	L	1	-	-	-
23	REAR BODY MOUNTING BRACKET	R	1	-	-	-
24	FRONT PLATE	L	1	-	-	-
25	FRONT PLATE	R	1	-	-	-
26	TRANSMISSION MOUNTING CROSS MEMBER		1	-	-	-
27	SHOCK ABSORBER BRACKET	L	1	-	-	-
28	SHOCK ABSORBER BRACKET	R	1	-	-	-
29	CROSS MEMBER		1	-	-	-
30	BUMPER RUBBER BRACKET	L	1	-	-	-
31	BUMPER RUBBER BRACKET	R	1	-	-	-
32	BUMPER RUBBER BRACKET	L	1	-	-	-
33	BUMPER RUBBER BRACKET	R	1	-	-	-
34	HOSE BRACKET		1	-	-	-
35	SIDE MEMBER EXTENSION ROD		1	-	-	-
36	SHOCK ABSORBER PIN		2	-	-	-

16. Frame (Crew Cab)



No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
1	FRAME ASSEMBLY		1	-	-	-
2	1ST CROSS MEMBER		1	-	-	-
3	SUSPENSION CROSS MEMBER		1	-	-	-
4	ENGINE MOUNTING BRACKET	L	1	-	-	-
5	ENGINE MOUNTING BRACKET	R	1	-	-	-
6	FRONT SPRING FRONT BRACKET		1	-	-	-
7	CAB MOUNTING BRACKET		2	-	-	-
8	CAB MOUNTING BRACKET	L	1	-	-	-
9	CAB MOUNTING BRACKET	R	1	-	-	-
10	CAB MOUNTING BRACKET	L	1	-	-	-
11	CAB MOUNTING BRACKET	R	1	-	-	-

44 Body Structure

No.	Part Name	L R	Qty	High-strength steel (Tensile strength (MPa))	Thickness (mm (in.))	Double side galvanized steel
12	FRONT SPRING REAR BRACKET		1	-	-	-
13	CROSS MEMBER BRACKET		1	-	-	-
14	REAR SPRING FRONT BRACKET	L	1	-	-	-
15	REAR SPRING FRONT BRACKET	R	1	-	-	-
16	REAR SPRING REAR BRACKET		2	-	-	-
17	REAR BODY MOUNTING BRACKET		2	-	-	-
18	REAR BODY MOUNTING BRACKET	L	1	-	-	-
19	REAR BODY MOUNTING BRACKET	R	1	-	-	-
20	REAR BODY MOUNTING BRACKET		2	-	-	-
21	FRONT PLATE	L	1	-	-	-
22	FRONT PLATE	R	1	-	-	-
23	TRANSMISSION MOUNTING CROSS MEMBER		1	-	-	-
24	SHOCK ABSORBER BRACKET	L	1	-	-	-
25	SHOCK ABSORBER BRACKET	R	1	-	-	-
26	CROSS MEMBER		1	-	-	-
27	BUMPER RUBBER BRACKET	L	1	-	-	-
28	BUMPER RUBBER BRACKET	R	1	-	-	-
29	BUMPER RUBBER BRACKET	L	1	-	-	-
30	BUMPER RUBBER BRACKET	R	1	-	-	-
31	HOSE BRACKET		1	-	-	-
32	SIDE MEMBER EXTENSION ROD		1	-	-	-
33	SHOCK ABSORBER PIN		2	-	-	-