

ILLUSTRATION

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
H01 FLYWHEEL				
FLYWHEEL ASSEMBLY, R&R	<i>SKYACTIV-G 2.0,Without Coolant Control Valve,Without Cylinder Deactivation,2WD,Without i-stop,PCM cover with standard bolts</i>	H0101ARX	4.3	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R◆Clutch disc (H0202), R&R
FLYWHEEL ASSEMBLY, R&R	<i>[SKYACTIV-G 2.0,Without Coolant Control Valve,Without Cylinder Deactivation,2WD,Without i-stop,PCM cover with shear-off bolts]/[SKYACTIV-G 2.0,Without Coolant Control Valve,Without Cylinder Deactivation,2WD,With i-stop,PCM cover with standard bolts]</i>	H0101BRX	4.4	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R◆Clutch disc (H0202), R&R
FLYWHEEL ASSEMBLY, R&R	<i>SKYACTIV-G 2.0,Without Coolant Control Valve,Without Cylinder Deactivation,2WD,With i-stop,PCM cover with shear-off bolts</i>	H0101CRX	4.5	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R◆Clutch disc (H0202), R&R
FLYWHEEL ASSEMBLY, R&R	<i>SKYACTIV-G 2.0,Without Coolant Control Valve,Without Cylinder Deactivation,4WD</i>	H0101DRX	6.6	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R◆Clutch disc (H0202), R&R
FLYWHEEL ASSEMBLY, R&R	<i>SKYACTIV-G 2.0,With Coolant Control Valve,Without Cylinder Deactivation,2WD,Without i-stop,PCM cover with standard bolts</i>	H0101GRX	4.8	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R◆Clutch disc (H0202), R&R

ILLUSTRATION

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
FLYWHEEL ASSEMBLY, R&R	<i>[SKYACTIV-G 2.0,With Coolant Control Valve,Without Cylinder Deactivation,2WD,Without i-stop,PCM cover with shear-off bolts]/[SKYACTIV-G 2.0,With Coolant Control Valve,With Cylinder Deactivation,2WD,PCM cover with standard bolts]/[SKYACTIV-G 2.0,With Coolant Control Valve,Without Cylinder Deactivation,2WD,With i-stop,PCM cover with standard bolts]</i>	H0101HRX	4.9	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R◆Clutch disc (H0202), R&R
FLYWHEEL ASSEMBLY, R&R	<i>[SKYACTIV-G 2.0,With Coolant Control Valve,With Cylinder Deactivation,2WD,PCM cover with shear-off bolts]/[SKYACTIV-G 2.0,With Coolant Control Valve,Without Cylinder Deactivation,2WD,With i-stop,PCM cover with shear-off bolts]</i>	H0101JRX	5.0	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R◆Clutch disc (H0202), R&R
FLYWHEEL ASSEMBLY, R&R	SKYACTIV-G 2.0,With Coolant Control Valve,Without Cylinder Deactivation,4WD	H0101KRX	7.1	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R◆Clutch disc (H0202), R&R
FLYWHEEL ASSEMBLY, R&R	SKYACTIV-G 2.0,With Coolant Control Valve,With Cylinder Deactivation,4WD	H0101MRX	7.2	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R ◆Clutch disc (H0202), R&R
FLYWHEEL ASSEMBLY, R&R	SKYACTIV-D 2.2,Fuel injector (2pin type),2WD	H0101ERX	5.3	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R◆Clutch disc (H0202), R&R
FLYWHEEL ASSEMBLY, R&R	SKYACTIV-D 2.2,Fuel injector (6pin type),With SCR system,2WD	H0101LRX	5.2	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R◆Clutch disc (H0202), R&R

ILLUSTRATION

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
FLYWHEEL ASSEMBLY, R&R	[SKYACTIV-D 2.2,Fuel injector (2pin type),4WD]/[SKYACTIV-D 2.2,Fuel injector (6pin type),With SCR system,4WD]	H0101FRX	6.5	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R◆Clutch disc (H0202), R&R
PILOT BEARING, R&R	<i>SKYACTIV-G 2.0,Without Coolant Control Valve,Without Cylinder Deactivation,2WD,PCM cover with standard bolts</i>	H0103ARX	4.2	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R◆Clutch disc (H0202), R&R
PILOT BEARING, R&R	<i>SKYACTIV-G 2.0,Without Coolant Control Valve,Without Cylinder Deactivation,2WD,PCM cover with shear-off bolts</i>	H0103BRX	4.3	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R◆Clutch disc (H0202), R&R
PILOT BEARING, R&R	<i>SKYACTIV-G 2.0,Without Coolant Control Valve,Without Cylinder Deactivation,4WD</i>	H0103CRX	6.4	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R◆Clutch disc (H0202), R&R
PILOT BEARING, R&R	<i>[SKYACTIV-G 2.0,With Coolant Control Valve,Without Cylinder Deactivation,2WD,Without i-stop]/[SKYACTIV-G 2.0,With Coolant Control Valve,With Cylinder Deactivation,2WD,PCM cover with standard bolts]/[SKYACTIV-G 2.0,With Coolant Control Valve,Without Cylinder Deactivation,2WD,With i-stop,PCM cover with standard bolts]</i>	H0103DRX	4.7	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R◆Clutch disc (H0202), R&R

ILLUSTRATION

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
PILOT BEARING, R&R	<i>[SKYACTIV-G 2.0,With Coolant Control Valve,With Cylinder Deactivation,2WD,PCM cover with shear-off bolts]/[SKYACTIV-G 2.0,With Coolant Control Valve,Without Cylinder Deactivation,2WD,With i-stop,PCM cover with shear-off bolts]</i>	H0103ERX	4.8	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R◆Clutch disc (H0202), R&R
PILOT BEARING, R&R	<i>SKYACTIV-G 2.0,With Coolant Control Valve,Without Cylinder Deactivation,4WD</i>	H0103FRX	6.9	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R◆Clutch disc (H0202), R&R
PILOT BEARING, R&R	<i>SKYACTIV-G 2.0,With Coolant Control Valve,With Cylinder Deactivation,4WD</i>	H0103GRX	7.0	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R ◆Clutch disc (H0202), R&R
H02 CLUTCH DISC				
CLUTCH COVER, R&R	<i>SKYACTIV-G 2.0,Without Coolant Control Valve,Without Cylinder Deactivation,2WD,Without i-stop,PCM cover with standard bolts</i>	H0201ARX	4.1	◆Transmission complete (J0101), R&R
CLUTCH COVER, R&R	<i>[SKYACTIV-G 2.0,Without Coolant Control Valve,Without Cylinder Deactivation,2WD,Without i-stop,PCM cover with shear-off bolts]/[SKYACTIV-G 2.0,Without Coolant Control Valve,Without Cylinder Deactivation,2WD,With i-stop,PCM cover with standard bolts]</i>	H0201BRX	4.2	◆Transmission complete (J0101), R&R
CLUTCH COVER, R&R	<i>SKYACTIV-G 2.0,Without Coolant Control Valve,Without Cylinder Deactivation,2WD,With i-stop,PCM cover with shear-off bolts</i>	H0201CRX	4.3	◆Transmission complete (J0101), R&R

ILLUSTRATION

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
CLUTCH COVER, R&R	<i>SKYACTIV-G 2.0,Without Coolant Control Valve,Without Cylinder Deactivation,4WD</i>	H0201DRX	6.4	◆Transmission complete (J0101), R&R
CLUTCH COVER, R&R	<i>SKYACTIV-G 2.0,With Coolant Control Valve,Without Cylinder Deactivation,2WD,Without i-stop,PCM cover with standard bolts</i>	H0201GRX	4.6	◆Transmission complete (J0101), R&R
CLUTCH COVER, R&R	<i>[SKYACTIV-G 2.0,With Coolant Control Valve,Without Cylinder Deactivation,2WD,Without i-stop,PCM cover with shear-off bolts]/[SKYACTIV-G 2.0,With Coolant Control Valve,With Cylinder Deactivation,2WD,PCM cover with standard bolts]/[SKYACTIV-G 2.0,With Coolant Control Valve,Without Cylinder Deactivation,2WD,With i-stop,PCM cover with standard bolts]</i>	H0201HRX	4.7	◆Transmission complete (J0101), R&R
CLUTCH COVER, R&R	<i>[SKYACTIV-G 2.0,With Coolant Control Valve,With Cylinder Deactivation,2WD,PCM cover with shear-off bolts]/[SKYACTIV-G 2.0,With Coolant Control Valve,Without Cylinder Deactivation,2WD,With i-stop,PCM cover with shear-off bolts]</i>	H0201JRX	4.8	◆Transmission complete (J0101), R&R
CLUTCH COVER, R&R	<i>SKYACTIV-G 2.0,With Coolant Control Valve,Without Cylinder Deactivation,4WD</i>	H0201KRX	6.8	◆Transmission complete (J0101), R&R

ILLUSTRATION

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
CLUTCH COVER, R&R	<i>SKYACTIV-G 2.0,With Coolant Control Valve,With Cylinder Deactivation,4WD</i>	<i>H0201MRX</i>	<i>7.0</i>	◆Transmission complete (J0101), R&R
CLUTCH COVER, R&R	SKYACTIV-D 2.2,Fuel injector (2pin type),2WD	H0201ERX	5.0	◆Transmission complete (J0101), R&R
CLUTCH COVER, R&R	SKYACTIV-D 2.2,Fuel injector (6pin type),With SCR system,2WD	H0201LRX	4.8	◆Transmission complete (J0101), R&R
CLUTCH COVER, R&R	[SKYACTIV-D 2.2,Fuel injector (2pin type),4WD]/[SKYACTIV-D 2.2,Fuel injector (6pin type),With SCR system,4WD]	H0201FRX	6.1	◆Transmission complete (J0101), R&R
CLUTCH DISC, R&R	<i>SKYACTIV-G 2.0,Without Coolant Control Valve,Without Cylinder Deactivation,2WD,Without i-stop,PCM cover with standard bolts</i>	H0202ARX	4.1	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R
CLUTCH DISC, R&R	<i>[SKYACTIV-G 2.0,Without Coolant Control Valve,Without Cylinder Deactivation,2WD,Without i-stop,PCM cover with shear-off bolts]/[SKYACTIV-G 2.0,Without Coolant Control Valve,Without Cylinder Deactivation,2WD,With i-stop,PCM cover with standard bolts]</i>	H0202BRX	4.2	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R
CLUTCH DISC, R&R	<i>SKYACTIV-G 2.0,Without Coolant Control Valve,Without Cylinder Deactivation,2WD,With i-stop,PCM cover with shear-off bolts</i>	H0202CRX	4.3	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R
CLUTCH DISC, R&R	<i>SKYACTIV-G 2.0,Without Coolant Control Valve,Without Cylinder Deactivation,4WD</i>	H0202DRX	6.4	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R

ILLUSTRATION

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
CLUTCH DISC, R&R	<i>SKYACTIV-G 2.0,With Coolant Control Valve,Without Cylinder Deactivation,2WD,Without i-stop,PCM cover with standard bolts</i>	H0202GRX	4.6	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R
CLUTCH DISC, R&R	<i>[SKYACTIV-G 2.0,With Coolant Control Valve,Without Cylinder Deactivation,2WD,Without i-stop,PCM cover with shear-off bolts]/[SKYACTIV-G 2.0,With Coolant Control Valve,With Cylinder Deactivation,2WD,PCM cover with standard bolts]/[SKYACTIV-G 2.0,With Coolant Control Valve,Without Cylinder Deactivation,2WD,With i-stop,PCM cover with standard bolts]</i>	H0202HRX	4.7	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R
CLUTCH DISC, R&R	<i>[SKYACTIV-G 2.0,With Coolant Control Valve,With Cylinder Deactivation,2WD,PCM cover with shear-off bolts]/[SKYACTIV-G 2.0,With Coolant Control Valve,Without Cylinder Deactivation,2WD,With i-stop,PCM cover with shear-off bolts]</i>	H0202JRX	4.8	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R
CLUTCH DISC, R&R	<i>SKYACTIV-G 2.0,With Coolant Control Valve,Without Cylinder Deactivation,4WD</i>	H0202KRX	6.8	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R
CLUTCH DISC, R&R	<i>SKYACTIV-G 2.0,With Coolant Control Valve,With Cylinder Deactivation,4WD</i>	<i>H0202MRX</i>	<i>7.0</i>	<i>◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R</i>

ILLUSTRATION

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
CLUTCH DISC, R&R	SKYACTIV-D 2.2,Fuel injector (2pin type),2WD	H0202ERX	5.0	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R
CLUTCH DISC, R&R	SKYACTIV-D 2.2,Fuel injector (6pin type),With SCR system,2WD	H0202LRX	4.8	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R
CLUTCH DISC, R&R	[SKYACTIV-D 2.2,Fuel injector (2pin type),4WD]/[SKYACTIV-D 2.2,Fuel injector (6pin type),With SCR system,4WD]	H0202FRX	6.1	◆Transmission complete (J0101), R&R ◆Clutch cover (H0201), R&R
CLUTCH RELEASE COLLAR, R&R	SKYACTIV-G 2.0,Without Coolant Control Valve,Without Cylinder Deactivation,2WD,Without i-stop,PCM cover with standard bolts	H0203ARX	3.9	◆Transmission assembly, R&R
CLUTCH RELEASE COLLAR, R&R	[SKYACTIV-G 2.0,Without Coolant Control Valve,Without Cylinder Deactivation,2WD,Without i-stop,PCM cover with shear-off bolts]/[SKYACTIV-G 2.0,Without Coolant Control Valve,Without Cylinder Deactivation,2WD,With i-stop,PCM cover with standard bolts]	H0203BRX	4.0	◆Transmission assembly, R&R
CLUTCH RELEASE COLLAR, R&R	SKYACTIV-G 2.0,Without Coolant Control Valve,Without Cylinder Deactivation,2WD,With i-stop,PCM cover with shear-off bolts	H0203CRX	4.1	◆Transmission assembly, R&R
CLUTCH RELEASE COLLAR, R&R	SKYACTIV-G 2.0,Without Coolant Control Valve,Without Cylinder Deactivation,4WD	H0203DRX	6.2	◆Transmission assembly, R&R

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
CLUTCH RELEASE COLLAR, R&R	<i>SKYACTIV-G 2.0,With Coolant Control Valve,Without Cylinder Deactivation,2WD,Without i-stop,PCM cover with standard bolts</i>	H0203GRX	4.4	◆Transmission assembly, R&R
CLUTCH RELEASE COLLAR, R&R	<i>[SKYACTIV-G 2.0,With Coolant Control Valve,Without Cylinder Deactivation,2WD,Without i-stop,PCM cover with shear-off bolts]/[SKYACTIV-G 2.0,With Coolant Control Valve,With Cylinder Deactivation,2WD,PCM cover with standard bolts]/[SKYACTIV-G 2.0,With Coolant Control Valve,Without Cylinder Deactivation,2WD,With i-stop,PCM cover with standard bolts]</i>	H0203HRX	4.5	◆Transmission assembly, R&R
CLUTCH RELEASE COLLAR, R&R	<i>[SKYACTIV-G 2.0,With Coolant Control Valve,With Cylinder Deactivation,2WD,PCM cover with shear-off bolts]/[SKYACTIV-G 2.0,With Coolant Control Valve,Without Cylinder Deactivation,2WD,With i-stop,PCM cover with shear-off bolts]</i>	H0203JRX	4.6	◆Transmission assembly, R&R
CLUTCH RELEASE COLLAR, R&R	<i>SKYACTIV-G 2.0,With Coolant Control Valve,Without Cylinder Deactivation,4WD</i>	H0203KRX	6.6	◆Transmission assembly, R&R
CLUTCH RELEASE COLLAR, R&R	<i>SKYACTIV-G 2.0,With Coolant Control Valve,With Cylinder Deactivation,4WD</i>	<i>H0203NRX</i>	<i>6.8</i>	<i>◆Transmission assembly, R&R</i>
CLUTCH RELEASE COLLAR, R&R	SKYACTIV-D 2.2,Fuel injector (2pin type),2WD	H0203ERX	4.8	◆Transmission assembly, R&R

ILLUSTRATION

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
CLUTCH RELEASE COLLAR, R&R	SKYACTIV-D 2.2,Fuel injector (2pin type),4WD	H0203FRX	6.0	◆Transmission assembly, R&R
CLUTCH RELEASE COLLAR, R&R	SKYACTIV-D 2.2,Fuel injector (6pin type),With SCR system,2WD	H0203LRX	4.6	◆Transmission assembly, R&R
CLUTCH RELEASE COLLAR, R&R	SKYACTIV-D 2.2,Fuel injector (6pin type),With SCR system,4WD	H0203MRX	5.9	◆Transmission assembly, R&R
CLUTCH RELEASE FORK, R&R	SKYACTIV-G 2.0,Without Coolant Control Valve,Without Cylinder Deactivation,2WD,Without i-stop,PCM cover with standard bolts	H0204ARX	3.9	◆Transmission assembly, R&R
CLUTCH RELEASE FORK, R&R	[SKYACTIV-G 2.0,Without Coolant Control Valve,Without Cylinder Deactivation,2WD,Without i-stop,PCM cover with shear-off bolts]/[SKYACTIV-G 2.0,Without Coolant Control Valve,Without Cylinder Deactivation,2WD,With i-stop,PCM cover with standard bolts]	H0204BRX	4.0	◆Transmission assembly, R&R
CLUTCH RELEASE FORK, R&R	SKYACTIV-G 2.0,Without Coolant Control Valve,Without Cylinder Deactivation,2WD,With i-stop,PCM cover with shear-off bolts	H0204CRX	4.1	◆Transmission assembly, R&R
CLUTCH RELEASE FORK, R&R	SKYACTIV-G 2.0,Without Coolant Control Valve,Without Cylinder Deactivation,4WD	H0204DRX	6.2	◆Transmission assembly, R&R
CLUTCH RELEASE FORK, R&R	SKYACTIV-G 2.0,With Coolant Control Valve,Without Cylinder Deactivation,2WD,Without i-stop,PCM cover with standard bolts	H0204GRX	4.4	◆Transmission assembly, R&R

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
CLUTCH RELEASE FORK, R&R	<i>[SKYACTIV-G 2.0,With Coolant Control Valve,Without Cylinder Deactivation,2WD,Without i-stop,PCM cover with shear-off bolts]/[SKYACTIV-G 2.0,With Coolant Control Valve,With Cylinder Deactivation,2WD,PCM cover with standard bolts]/[SKYACTIV-G 2.0,With Coolant Control Valve,Without Cylinder Deactivation,2WD,With i-stop,PCM cover with standard bolts]</i>	H0204HRX	4.5	◆Transmission assembly, R&R
CLUTCH RELEASE FORK, R&R	<i>[SKYACTIV-G 2.0,With Coolant Control Valve,With Cylinder Deactivation,2WD,PCM cover with shear-off bolts]/[SKYACTIV-G 2.0,With Coolant Control Valve,Without Cylinder Deactivation,2WD,With i-stop,PCM cover with shear-off bolts]</i>	H0204JRX	4.6	◆Transmission assembly, R&R
CLUTCH RELEASE FORK, R&R	<i>SKYACTIV-G 2.0,With Coolant Control Valve,Without Cylinder Deactivation,4WD</i>	H0204KRX	6.6	◆Transmission assembly, R&R
CLUTCH RELEASE FORK, R&R	<i>SKYACTIV-G 2.0,With Coolant Control Valve,With Cylinder Deactivation,4WD</i>	<i>H0204NRX</i>	<i>6.8</i>	<i>◆Transmission assembly, R&R</i>
CLUTCH RELEASE FORK, R&R	SKYACTIV-D 2.2,Fuel injector (2pin type),2WD	H0204ERX	4.8	◆Transmission assembly, R&R
CLUTCH RELEASE FORK, R&R	SKYACTIV-D 2.2,Fuel injector (2pin type),4WD	H0204FRX	6.0	◆Transmission assembly, R&R
CLUTCH RELEASE FORK, R&R	SKYACTIV-D 2.2,Fuel injector (6pin type),With SCR system,2WD	H0204LRX	4.6	◆Transmission assembly, R&R

ILLUSTRATION

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
CLUTCH RELEASE FORK, R&R	SKYACTIV-D 2.2,Fuel injector (6pin type),With SCR system,4WD	H0204MRX	5.9	◆Transmission assembly, R&R
H03 CLUTCH MASTER & RELEASE CYLINDER				
CLUTCH MASTER CYLINDER, R&R	LHD,Without i-stop	H0301ARX	0.7	◆Clutch line, Air bleed (A0122)
CLUTCH MASTER CYLINDER, R&R	[LHD,With i-stop]/[RHD]	H0301BRX	0.8	◆Clutch line, Air bleed (A0122)
CLUTCH RELEASE CYLINDER, R&R		H0302XRX	0.5	◆Clutch line, Air bleed (A0122)
CLUTCH PIPE, R&R	Front side,Without i-stop	H0304ARX	0.5	◆Clutch line, Air bleed (A0122)
CLUTCH PIPE, R&R	Front side,With i-stop	H0304BRX	0.6	◆Clutch line, Air bleed (A0122)
CLUTCH PIPE, R&R	[Rear side,LHD,SKYACTIV-G 2.0,Without Coolant Control Valve,Without i-stop,PCM cover with standard bolts]/[Rear side,LHD,SKYACTIV-G 2.0,With Coolant Control Valve,Without i-stop,PCM cover with standard bolts]	H0304CRX	0.8	◆Clutch line, Air bleed (A0122)
CLUTCH PIPE, R&R	[Rear side,LHD,SKYACTIV-G 2.0,Without Coolant Control Valve,Without i-stop,PCM cover with shear-off bolts]/[Rear side,LHD,SKYACTIV-G 2.0,Without Coolant Control Valve,With i-stop]/[Rear side,LHD,SKYACTIV-G 2.0,With Coolant Control Valve,Without i-stop,PCM cover with shear-off bolts]/[Rear side,LHD,SKYACTIV-G 2.0,With Coolant Control Valve,With i-stop]	H0304DRX	0.9	◆Clutch line, Air bleed (A0122)

ILLUSTRATION

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
CLUTCH PIPE, R&R	[Rear side,LHD,SKYACTIV-D 2.2,Fuel injector (2pin type)]/[Rear side,LHD,SKYACTIV-D 2.2,Fuel injector (6pin type),With SCR system]	H0304ERX	0.8	◆Clutch line, Air bleed (A0122)
CLUTCH PIPE, R&R	[Rear side,RHD,SKYACTIV-G 2.0,Without Coolant Control Valve]/[Rear side,RHD,SKYACTIV-G 2.0,With Coolant Control Valve]	H0304FRX	1.4	◆Clutch line, Air bleed (A0122)
CLUTCH PIPE, R&R	[Rear side,RHD,SKYACTIV-D 2.2,Fuel injector (2pin type)]/[Rear side,RHD,SKYACTIV-D 2.2,Fuel injector (6pin type),With SCR system]	H0304GRX	1.3	◆Clutch line, Air bleed (A0122)
FLEXIBLE HOSE, R&R	Without i-stop	H0305ARX	0.5	◆Clutch line, Air bleed (A0122)
FLEXIBLE HOSE, R&R	With i-stop	H0305BRX	0.6	◆Clutch line, Air bleed (A0122)
H04 CLUTCH PEDAL				
CLUTCH PEDAL AND/OR BUSH, R&R		H0401XRX	0.8	◆Clutch line, Air bleed (A0122)
CLUTCH SWITCH, R&R	Without i-stop	H0405ARX	0.2	
CLUTCH SWITCH, R&R	With i-stop	H0405BRX	0.3	
PEDAL PAD, R&R		H0406XRX	0.2	