

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
A01 MAINTENANCE AND ADJUSTMENTS				
IDLE SPEED, CHECK AND ADJUST		A0106XAX	0.4	
IGNITION TIMING, CHECK AND ADJUST		A0108XAX	0.4	
FRONT AND/OR REAR WHEEL ALIGNMENT, CHECK AND ADJUST	Wired type 4-wheel alignment tester used,Front	A0109AAX	1.5	◆Tire pressure, Adjust
FRONT AND/OR REAR WHEEL ALIGNMENT, CHECK AND ADJUST	Wireless type 4-wheel alignment tester used,Front	A0109KAX	1.1	◆Tire pressure, Adjust
FRONT AND/OR REAR WHEEL ALIGNMENT, CHECK AND ADJUST	Wired type 4-wheel alignment tester used,Rear	A0109BAX	1.1	◆Tire pressure, Adjust
FRONT AND/OR REAR WHEEL ALIGNMENT, CHECK AND ADJUST	Wireless type 4-wheel alignment tester used,Rear	A0109LAX	0.7	◆Tire pressure, Adjust
FRONT AND/OR REAR WHEEL ALIGNMENT, CHECK AND ADJUST	Wired type 4-wheel alignment tester used,Front and rear	A0109CAX	1.8	◆Tire pressure, Adjust
FRONT AND/OR REAR WHEEL ALIGNMENT, CHECK AND ADJUST	Wireless type 4-wheel alignment tester used,Front and rear	A0109MAX	1.3	◆Tire pressure, Adjust
FRONT AND/OR REAR WHEEL ALIGNMENT, CHECK AND ADJUST	Except 4-wheel alignment tester used,Front,Steering angle	A0109DAX	0.6	◆Tire pressure, Adjust
FRONT AND/OR REAR WHEEL ALIGNMENT, CHECK AND ADJUST	Except 4-wheel alignment tester used,Front,Toe-in	A0109EAX	0.6	◆Tire pressure, Adjust
FRONT AND/OR REAR WHEEL ALIGNMENT, CHECK AND ADJUST	Except 4-wheel alignment tester used,Front,Steering angle and toe-in	A0109FAX	1.0	◆Tire pressure, Adjust
FRONT AND/OR REAR WHEEL ALIGNMENT, CHECK AND ADJUST	Except 4-wheel alignment tester used,Front,Caster and camber	A0109GAX	0.6	◆Tire pressure, Adjust
FRONT AND/OR REAR WHEEL ALIGNMENT, CHECK AND ADJUST	Except 4-wheel alignment tester used,Front,Steering angle and toe-in and caster and camber	A0109HAX	1.3	◆Tire pressure, Adjust
FRONT AND/OR REAR WHEEL ALIGNMENT, CHECK AND ADJUST	Except 4-wheel alignment tester used,Rear	A0109JAX	0.8	◆Tire pressure, Adjust
FRONT AND/OR REAR WHEEL ALIGNMENT, CHECK	Except 4-wheel alignment tester used,Front	A0109ACX	0.7	◆Tire pressure, Adjust
FRONT AND/OR REAR WHEEL ALIGNMENT, CHECK	Except 4-wheel alignment tester used,Rear	A0109BCX	0.6	◆Tire pressure, Adjust
FRONT AND/OR REAR WHEEL ALIGNMENT, CHECK	Wired type 4-wheel alignment tester used,Front and rear	A0109CCX	0.9	◆Tire pressure, Adjust

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
FRONT AND/OR REAR WHEEL ALIGNMENT, CHECK	Wireless type 4-wheel alignment tester used,Front and rear	A0109DCX	0.5	◆Tire pressure, Adjust
WHEEL, BALANCE	On the car,One	A0112AAX	0.3	◆Tire pressure, Adjust
WHEEL, BALANCE	On the car,Two	A0112BAX	0.4	◆Tire pressure, Adjust
WHEEL, BALANCE	On the car,Three	A0112CAX	0.5	◆Tire pressure, Adjust
WHEEL, BALANCE	On the car,All	A0112DAX	0.6	◆Tire pressure, Adjust
WHEEL, BALANCE	Off the car,One	A0112EAX	0.4	◆Tire pressure, Adjust
WHEEL, BALANCE	Off the car,Two	A0112FAX	0.5	◆Tire pressure, Adjust
WHEEL, BALANCE	Off the car,Three	A0112GAX	0.6	◆Tire pressure, Adjust
WHEEL, BALANCE	Off the car,All	A0112HAX	0.7	◆Tire pressure, Adjust
EXHAUST MANIFOLD NUT, RETIGHTEN		A0113XTX	0.3	◆Exhaust manifold heat insulator (F0213), R&R
SPARK PLUG [ALL], CLEAN AND CHECK	Without i-stop,Without front suspension tower bar	A0114ACX	0.3	
SPARK PLUG [ALL], CLEAN AND CHECK	[Without i-stop,With front suspension tower bar]/[With i-stop]	A0114BCX	0.4	
HEADLIGHT, AIM	One side	A0115AAX	0.3	
HEADLIGHT, AIM	Both sides	A0115BAX	0.4	
PARKING BRAKE LEVER OR PEDAL, CHECK AND ADJUST		A0119XAX	0.3	
BRAKE LINES, AIR BLEED	With single piston caliper	A0120XRX	0.7	
BRAKE LINES, AIR BLEED	With 4-pot opposed piston caliper	A0120ARX	0.9	
CLUTCH LINES, AIR BLEED	Without plate	A0122ARX	0.3	
CLUTCH LINES, AIR BLEED	With plate	A0122BRX	0.4	
FRONT DOOR GLASS AND/OR WINDOW REGULATOR, ADJUST	One side	A0127AAX	0.3	
FRONT DOOR GLASS AND/OR WINDOW REGULATOR, ADJUST	Both sides	A0127BAX	0.5	
AA3 SCHEDULED MAINTENANCE SERVICE (For ECE) (NOT COVERED BY MANUFACTURER'S WARRANTY)				
CHECK BODY CONDITIONS [RUST AND CORROSION]		AA330XCX	0.8	
20,000 KILOMETERS [12,500 MILES] OR 12 MONTHS	Without oil change	AA303AMX	0.6	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
20,000 KILOMETERS [12,500 MILES] OR 12 MONTHS	With oil change	AA303BMX	1.0	
40,000 KILOMETERS [25,000 MILES] OR 24 MONTHS	Without oil change	AA305AMX	1.4	
40,000 KILOMETERS [25,000 MILES] OR 24 MONTHS	With oil change	AA305BMX	1.7	
60,000 KILOMETERS [37,500 MILES] OR 36 MONTHS	Without oil change	AA307AMX	0.7	
60,000 KILOMETERS [37,500 MILES] OR 36 MONTHS	With oil change	AA307BMX	1.1	
80,000 KILOMETERS [50,000 MILES] OR 48 MONTHS	Without oil change	AA309AMX	1.4	
80,000 KILOMETERS [50,000 MILES] OR 48 MONTHS	With oil change	AA309BMX	1.7	
100,000 KILOMETERS [62,500 MILES] OR 60 MONTHS	Without oil change	AA311AMX	0.8	
100,000 KILOMETERS [62,500 MILES] OR 60 MONTHS	With oil change	AA311BMX	1.1	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	Without oil change,Without i-stop,Without front suspension tower bar	AA313AMX	1.6	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	Without oil change,Without i-stop,With front suspension tower bar	AA313BMX	1.7	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	Without oil change,With i-stop	AA313CMX	1.7	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	With oil change,Without i-stop	AA313DMX	2.0	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	With oil change,With i-stop,Without front suspension tower bar	AA313EMX	2.0	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	With oil change,With i-stop,With front suspension tower bar	AA313FMX	2.1	
140,000 KILOMETERS [87,500 MILES] OR 84 MONTHS	Without oil change	AA315AMX	0.6	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
140,000 KILOMETERS [87,500 MILES] OR 84 MONTHS	With oil change	AA315BMX	1.0	
160,000 KILOMETERS [100,000 MILES] OR 96 MONTHS	Without oil change	AA317AMX	1.4	
160,000 KILOMETERS [100,000 MILES] OR 96 MONTHS	With oil change	AA317BMX	1.7	
180,000 KILOMETERS [112,500 MILES] OR 108 MONTHS	Without oil change	AA319AMX	0.7	
180,000 KILOMETERS [112,500 MILES] OR 108 MONTHS	With oil change	AA319BMX	1.1	
200,000 KILOMETERS [125,000 MILES] OR 120 MONTHS	Without oil change	AA321AMX	1.9	
200,000 KILOMETERS [125,000 MILES] OR 120 MONTHS	With oil change	AA321BMX	2.3	
220,000 KILOMETERS [137,500 MILES] OR 132 MONTHS	Without oil change	AA323AMX	0.6	
220,000 KILOMETERS [137,500 MILES] OR 132 MONTHS	With oil change	AA323BMX	1.0	
240,000 KILOMETERS [150,000 MILES] OR 144 MONTHS	Without oil change,Without i- stop,Without front suspension tower bar	AA325AMX	1.6	
240,000 KILOMETERS [150,000 MILES] OR 144 MONTHS	Without oil change,Without i-stop,With front suspension tower bar	AA325BMX	1.7	
240,000 KILOMETERS [150,000 MILES] OR 144 MONTHS	Without oil change,With i-stop	AA325CMX	1.7	
240,000 KILOMETERS [150,000 MILES] OR 144 MONTHS	With oil change,Without i-stop	AA325DMX	2.0	
240,000 KILOMETERS [150,000 MILES] OR 144 MONTHS	With oil change,With i-stop,Without front suspension tower bar	AA325EMX	2.0	
240,000 KILOMETERS [150,000 MILES] OR 144 MONTHS	With oil change,With i-stop,With front suspension tower bar	AA325FMX	2.1	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
AA5 SCHEDULED MAINTENANCE SERVICE (For General) (NOT COVERED BY MANUFACTURER'S WARRANTY)				
10,000 KILOMETERS [6,250 MILES] OR 6 MONTHS		AA532XMX	0.9	
20,000 KILOMETERS [12,500 MILES] OR 12 MONTHS		AA533XMX	1.4	
30,000 KILOMETERS [18,750 MILES] OR 18 MONTHS		AA534XMX	0.9	
40,000 KILOMETERS [25,000 MILES] OR 24 MONTHS	<i>Except for Georgia and Armenia</i>	AA535AMX	1.9	
40,000 KILOMETERS [25,000 MILES] OR 24 MONTHS	<i>For Georgia</i>	AA535BMX	1.8	
<i>40,000 KILOMETERS [25,000 MILES] OR 24 MONTHS</i>	<i>For Armenia, VIN Serial No.100001-550000</i>	<i>AA535CMX</i>	<i>1.8</i>	
50,000 KILOMETERS [31,250 MILES] OR 30 MONTHS		AA536XMX	0.9	
60,000 KILOMETERS [37,500 MILES] OR 36 MONTHS	VIN Serial No.100001-200000,Except for Georgia and Armenia,Convertible top model,Without i-stop	AA537AMX	2.7	
60,000 KILOMETERS [37,500 MILES] OR 36 MONTHS	VIN Serial No.100001-200000,Except for Georgia and Armenia,Convertible top model,With i-stop	AA537BMX	2.7	
60,000 KILOMETERS [37,500 MILES] OR 36 MONTHS	VIN Serial No.100001-200000,Except for Georgia and Armenia,Retractable hardtop model,Without i-stop	AA537CMX	2.8	
60,000 KILOMETERS [37,500 MILES] OR 36 MONTHS	VIN Serial No.100001-200000,Except for Georgia and Armenia,Retractable hardtop model,With i-stop	AA537DMX	2.8	
60,000 KILOMETERS [37,500 MILES] OR 36 MONTHS	<i>For Georgia,Convertible top model,Without i-stop</i>	AA537EMX	2.7	
60,000 KILOMETERS [37,500 MILES] OR 36 MONTHS	<i>For Georgia,Convertible top model,With i-stop</i>	AA537FMX	2.8	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
60,000 KILOMETERS [37,500 MILES] OR 36 MONTHS	<i>For Georgia,Retractable hardtop model,Without i-stop</i>	AA537GMX	2.8	
60,000 KILOMETERS [37,500 MILES] OR 36 MONTHS	<i>For Georgia,Retractable hardtop model,With i-stop</i>	AA537HMX	2.8	
60,000 KILOMETERS [37,500 MILES] OR 36 MONTHS	<i>For Armenia,VIN Serial No.100001- 550000,Convertible top model,Without i-stop</i>	AA537SMX	2.7	
60,000 KILOMETERS [37,500 MILES] OR 36 MONTHS	<i>For Armenia,VIN Serial No.100001- 550000,Convertible top model,With i- stop</i>	AA537TMX	2.8	
60,000 KILOMETERS [37,500 MILES] OR 36 MONTHS	<i>For Armenia,VIN Serial No.100001- 550000,Retractable hardtop model,Without i-stop</i>	AA537UMX	2.8	
60,000 KILOMETERS [37,500 MILES] OR 36 MONTHS	<i>For Armenia,VIN Serial No.100001- 550000,Retractable hardtop model,With i-stop</i>	AA537VMX	2.8	
60,000 KILOMETERS [37,500 MILES] OR 36 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,Except for Taiwan,Convertible top model,Without i- stop	AA537JMX	2.7	
60,000 KILOMETERS [37,500 MILES] OR 36 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,Except for Taiwan,Convertible top model,With i- stop	AA537KMX	2.7	
60,000 KILOMETERS [37,500 MILES] OR 36 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,Except for Taiwan,Retractable hardtop model,Without i-stop	AA537LMX	2.8	
60,000 KILOMETERS [37,500 MILES] OR 36 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,Except for Taiwan,Retractable hardtop model,With i-stop	AA537MMX	2.8	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
60,000 KILOMETERS [37,500 MILES] OR 36 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,For Taiwan,Convertible top model,Without i- stop	AA537NMX	1.4	
60,000 KILOMETERS [37,500 MILES] OR 36 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,For Taiwan,Convertible top model,With i- stop	AA537PMX	1.5	
60,000 KILOMETERS [37,500 MILES] OR 36 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,For Taiwan,Retractable hardtop model,Without i-stop	AA537QMX	1.5	
60,000 KILOMETERS [37,500 MILES] OR 36 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,For Taiwan,Retractable hardtop model,With i-stop	AA537RMX	1.6	
70,000 KILOMETERS [43,750 MILES] OR 42 MONTHS		AA538XMX	0.9	
80,000 KILOMETERS [50,000 MILES] OR 48 MONTHS	VIN Serial No.100001-200000,Except for Georgia and Armenia	AA539AMX	1.9	
80,000 KILOMETERS [50,000 MILES] OR 48 MONTHS	VIN Serial No.100001-200000,For Georgia and Armenia	AA539BMX	1.8	
80,000 KILOMETERS [50,000 MILES] OR 48 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,Except for Taiwan	AA539CMX	1.9	
80,000 KILOMETERS [50,000 MILES] OR 48 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,For Taiwan,Convertible top model,Without i- stop	AA539DMX	3.1	
80,000 KILOMETERS [50,000 MILES] OR 48 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,For Taiwan,Convertible top model,With i- stop	AA539EMX	3.2	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
80,000 KILOMETERS [50,000 MILES] OR 48 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,For Taiwan,Retractable hardtop model,Without i-stop	AA539FMX	3.2	
80,000 KILOMETERS [50,000 MILES] OR 48 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,For Taiwan,Retractable hardtop model,With i-stop	AA539GMX	3.3	
80,000 KILOMETERS [50,000 MILES] OR 48 MONTHS	VIN Serial No.200001-550000,For Georgia	AA539HMX	1.9	
80,000 KILOMETERS [50,000 MILES] OR 48 MONTHS	VIN Serial No.550001-,For Georgia	AA539JMX	1.8	
80,000 KILOMETERS [50,000 MILES] OR 48 MONTHS	VIN Serial No.200001-550000,For Armenia	AA539KMX	1.9	
90,000 KILOMETERS [56,250 MILES] OR 54 MONTHS		AA540XMX	0.9	
100,000 KILOMETERS [62,500 MILES] OR 60 MONTHS		AA541XMX	1.6	
110,000 KILOMETERS [68,750 MILES] OR 66 MONTHS		AA542XMX	0.9	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	VIN Serial No.100001-200000,Except for Georgia and Armenia,Convertible top model,Without i-stop,Without front suspension tower bar	AA543AMX	3.3	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	VIN Serial No.100001-200000,Except for Georgia and Armenia,Convertible top model,Without i-stop,With front suspension tower bar	AA543BMX	3.3	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	VIN Serial No.100001-200000,Except for Georgia and Armenia,Convertible top model,With i-stop,Without front suspension tower bar	AA543CMX	3.3	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	VIN Serial No.100001-200000,Except for Georgia and Armenia,Convertible top model,With i-stop,With front suspension tower bar	AA543DMX	3.4	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	VIN Serial No.100001-200000,Except for Georgia and Armenia,Retractable hardtop model,Without i-stop,Without front suspension tower bar	AA543EMX	3.3	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	VIN Serial No.100001-200000,Except for Georgia and Armenia,Retractable hardtop model,Without i-stop,With front suspension tower bar	AA543FMX	3.4	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	VIN Serial No.100001-200000,Except for Georgia and Armenia,Retractable hardtop model,With i-stop,Without front suspension tower bar	AA543GMX	3.4	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	VIN Serial No.100001-200000,Except for Georgia and Armenia,Retractable hardtop model,With i-stop,With front suspension tower bar	AA543HMX	3.4	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	<i>[For Georgia,Convertible top model,Without i-stop,Without front suspension tower bar]/[For Armenia,VIN Serial No.100001-550000,Convertible top model,Without i-stop,Without front suspension tower bar]</i>	AA543JMX	3.3	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	<i>[For Georgia,Convertible top model,Without i-stop,With front suspension tower bar]/[For Armenia,VIN Serial No.100001-550000,Convertible top model,Without i-stop,With front suspension tower bar]</i>	AA543KMX	3.3	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	<i>[For Georgia,Convertible top model,With i-stop,Without front suspension tower bar]/[For Armenia,VIN Serial No.100001-550000,Convertible top model,With i-stop,Without front suspension tower bar]</i>	AA543LMX	3.3	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	<i>[For Georgia,Convertible top model,With i-stop,With front suspension tower bar]/[For Armenia,VIN Serial No.100001-550000,Convertible top model,With i-stop,With front suspension tower bar]</i>	AA543MMX	3.4	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	<i>[For Georgia,Retractable hardtop model,Without i-stop,Without front suspension tower bar]/[For Armenia,VIN Serial No.100001-550000,Retractable hardtop model,Without i-stop,Without front suspension tower bar]</i>	AA543NMX	3.3	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	<i>[For Georgia,Retractable hardtop model,Without i-stop,With front suspension tower bar]/[For Armenia,VIN Serial No.100001-550000,Retractable hardtop model,Without i-stop,With front suspension tower bar]</i>	AA543PMX	3.4	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	<i>[For Georgia,Retractable hardtop model,With i-stop,Without front suspension tower bar]/[For Armenia,VIN Serial No.100001-550000,Retractable hardtop model,With i-stop,Without front suspension tower bar]</i>	AA543QMX	3.4	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	<i>[For Georgia,Retractable hardtop model,With i-stop,With front suspension tower bar]/[For Armenia,VIN Serial No.100001-550000,Retractable hardtop model,With i-stop,With front suspension tower bar]</i>	AA543RMX	3.4	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,Except for Taiwan,Convertible top model,Without i-stop,Without front suspension tower bar	AA543SMX	3.3	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,Except for Taiwan,Convertible top model,Without i-stop,With front suspension tower bar	AA543TMX	3.3	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,Except for Taiwan,Convertible top model,With i-stop,Without front suspension tower bar	AA543UMX	3.3	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,Except for Taiwan,Convertible top model,With i-stop,With front suspension tower bar	AA543VMX	3.4	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,Except for Taiwan,Retractable hardtop model,Without i-stop,Without front suspension tower bar	AA543WMX	3.3	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,Except for Taiwan,Retractable hardtop model,Without i-stop,With front suspension tower bar	AA543XMX	3.4	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,Except for Taiwan,Retractable hardtop model,With i-stop,Without front suspension tower bar	AA543YMX	3.4	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,Except for Taiwan,Retractable hardtop model,With i-stop,With front suspension tower bar	AA543ZMX	3.4	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,For Taiwan,Convertible top model,Without i-stop,Without front suspension tower bar	AA5431MX	2.0	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,For Taiwan,Convertible top model,Without i-stop,With front suspension tower bar	AA5432MX	2.0	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,For Taiwan,Convertible top model,With i-stop,Without front suspension tower bar	AA5433MX	2.1	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,For Taiwan,Convertible top model,With i-stop,With front suspension tower bar	AA5434MX	2.1	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,For Taiwan,Retractable hardtop model,Without i-stop,Without front suspension tower bar	AA5435MX	2.1	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,For Taiwan,Retractable hardtop model,Without i-stop,With front suspension tower bar	AA5436MX	2.1	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,For Taiwan,Retractable hardtop model,With i-stop,Without front suspension tower bar	AA5437MX	2.2	
120,000 KILOMETERS [75,000 MILES] OR 72 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,For Taiwan,Retractable hardtop model,With i-stop,With front suspension tower bar	AA5438MX	2.2	
130,000 KILOMETERS [81,250 MILES] OR 78 MONTHS		AA544XMX	0.9	
140,000 KILOMETERS [87,500 MILES] OR 84 MONTHS		AA545XMX	1.4	
150,000 KILOMETERS [93,750 MILES] OR 90 MONTHS		AA546XMX	0.9	
160,000 KILOMETERS [100,000 MILES] OR 96 MONTHS	VIN Serial No.100001-200000,Except for Georgia and Armenia	AA547AMX	1.9	
160,000 KILOMETERS [100,000 MILES] OR 96 MONTHS	VIN Serial No.100001-200000,For Georgia and Armenia	AA547BMX	1.8	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
160,000 KILOMETERS [100,000 MILES] OR 96 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,Except for Taiwan	AA547CMX	1.9	
160,000 KILOMETERS [100,000 MILES] OR 96 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,For Taiwan,Convertible top model,Without i-stop	AA547DMX	3.1	
160,000 KILOMETERS [100,000 MILES] OR 96 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,For Taiwan,Convertible top model,With i-stop	AA547EMX	3.2	
160,000 KILOMETERS [100,000 MILES] OR 96 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,For Taiwan,Retractable hardtop model,Without i-stop	AA547FMX	3.2	
160,000 KILOMETERS [100,000 MILES] OR 96 MONTHS	VIN Serial No.200001-,Except for Georgia and Armenia,For Taiwan,Retractable hardtop model,With i-stop	AA547GMX	3.3	
160,000 KILOMETERS [100,000 MILES] OR 96 MONTHS	VIN Serial No.200001-550000,For Georgia	AA547HMX	1.9	
160,000 KILOMETERS [100,000 MILES] OR 96 MONTHS	VIN Serial No.550001-,For Georgia	AA547JMX	1.8	
160,000 KILOMETERS [100,000 MILES] OR 96 MONTHS	VIN Serial No.200001-550000,For Armenia	AA547KMX	1.9	
SELF-TEST WITH MAZDA MODULAR DIAGNOSTIC SYSTEM [M-MDS]		AA551XMX	0.2	
AA9 SCHEDULED MAINTENANCE SERVICE (For ADR) Basic interval 10,000 Kilometers (NOT COVERED BY MANUFACTURER'S WARRANTY)				
10,000 KILOMETERS OR 12 MONTHS	For Australia,VIN Serial No.100001-200000	AA932AMX	1.5	
10,000 KILOMETERS OR 12 MONTHS	For New Zealand,VIN Serial No.100001-200000	AA932XMX	1.7	
10,000 KILOMETERS OR 12 MONTHS	For New Zealand,VIN Serial No.200001-	AA932BMX	1.5	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
20,000 KILOMETERS OR 24 MONTHS	For Australia,VIN Serial No.100001-200000	AA933AMX	2.2	
20,000 KILOMETERS OR 24 MONTHS	For New Zealand,VIN Serial No.100001-200000	AA933XMX	2.3	
20,000 KILOMETERS OR 24 MONTHS	For New Zealand,VIN Serial No.200001- ,With single piston caliper	AA933BMX	2.2	
20,000 KILOMETERS OR 24 MONTHS	For New Zealand,VIN Serial No.200001- ,With 4-pot opposed piston caliper	AA933CMX	2.3	
30,000 KILOMETERS OR 36 MONTHS	For Australia,VIN Serial No.100001-200000	AA934AMX	1.6	
30,000 KILOMETERS OR 36 MONTHS	For New Zealand,VIN Serial No.100001-200000	AA934XMX	1.8	
30,000 KILOMETERS OR 36 MONTHS	For New Zealand,VIN Serial No.200001-	AA934BMX	1.5	
40,000 KILOMETERS OR 48 MONTHS	For Australia,VIN Serial No.100001-200000	AA935AMX	2.2	
40,000 KILOMETERS OR 48 MONTHS	For New Zealand,With single piston caliper	AA935XMX	2.3	
40,000 KILOMETERS OR 48 MONTHS	For New Zealand,With 4-pot opposed piston caliper,VIN Serial No.100001-300000	AA935BMX	2.4	
40,000 KILOMETERS OR 48 MONTHS	For New Zealand,With 4-pot opposed piston caliper,VIN Serial No.300001-	AA935CMX	2.3	
50,000 KILOMETERS OR 60 MONTHS	For Australia,VIN Serial No.100001-200000	AA936AMX	1.7	
50,000 KILOMETERS OR 60 MONTHS	For New Zealand,VIN Serial No.100001-200000	AA936XMX	1.9	
50,000 KILOMETERS OR 60 MONTHS	For New Zealand,VIN Serial No.200001-	AA936BMX	1.6	
60,000 KILOMETERS OR 72 MONTHS	For Australia,VIN Serial No.100001-200000	AA937AMX	2.2	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
60,000 KILOMETERS OR 72 MONTHS	For New Zealand,VIN Serial No.100001-200000	AA937XMX	2.3	
60,000 KILOMETERS OR 72 MONTHS	For New Zealand,VIN Serial No.200001- ,With single piston caliper	AA937BMX	2.2	
60,000 KILOMETERS OR 72 MONTHS	For New Zealand,VIN Serial No.200001- ,With 4-pot opposed piston caliper	AA937CMX	2.3	
70,000 KILOMETERS OR 84 MONTHS	For Australia,VIN Serial No.100001-200000	AA938AMX	1.5	
70,000 KILOMETERS OR 84 MONTHS	For New Zealand,VIN Serial No.100001-200000	AA938XMX	1.7	
70,000 KILOMETERS OR 84 MONTHS	For New Zealand,VIN Serial No.200001-	AA938BMX	1.5	
80,000 KILOMETERS OR 96 MONTHS	For Australia,VIN Serial No.100001-200000	AA939AMX	2.2	
80,000 KILOMETERS OR 96 MONTHS	For New Zealand,With single piston caliper	AA939XMX	2.3	
80,000 KILOMETERS OR 96 MONTHS	For New Zealand,With 4-pot opposed piston caliper	AA939BMX	2.4	
90,000 KILOMETERS OR 108 MONTHS	For Australia,VIN Serial No.100001-200000	AA940AMX	1.6	
90,000 KILOMETERS OR 108 MONTHS	For New Zealand,VIN Serial No.100001-200000	AA940XMX	1.8	
90,000 KILOMETERS OR 108 MONTHS	For New Zealand,VIN Serial No.200001-	AA940BMX	1.5	
100,000 KILOMETERS OR 120 MONTHS	For Australia,VIN Serial No.100001-200000	AA941AMX	2.8	
100,000 KILOMETERS OR 120 MONTHS	For New Zealand,VIN Serial No.100001-200000	AA941XMX	2.9	
100,000 KILOMETERS OR 120 MONTHS	For New Zealand,VIN Serial No.200001- ,With single piston caliper	AA941BMX	2.8	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
100,000 KILOMETERS OR 120 MONTHS	For New Zealand,VIN Serial No.200001- ,With 4-pot opposed piston caliper	AA941CMX	2.9	
110,000 KILOMETERS OR 132 MONTHS	For Australia,VIN Serial No.100001- 200000	AA942AMX	1.5	
110,000 KILOMETERS OR 132 MONTHS	For New Zealand,VIN Serial No.100001- 200000	AA942XMX	1.7	
110,000 KILOMETERS OR 132 MONTHS	For New Zealand,VIN Serial No.200001-	AA942BMX	1.5	
120,000 KILOMETERS OR 144 MONTHS	For Australia,VIN Serial No.100001- 200000	AA943XMX	2.4	
120,000 KILOMETERS OR 144 MONTHS	For New Zealand,With single piston caliper,Without front suspension tower bar	AA943AMX	2.4	
120,000 KILOMETERS OR 144 MONTHS	For New Zealand,With single piston caliper,With front suspension tower bar	AA943BMX	2.5	
120,000 KILOMETERS OR 144 MONTHS	For New Zealand,With 4-pot opposed piston caliper	AA943CMX	2.5	
130,000 KILOMETERS OR 156 MONTHS	For Australia,VIN Serial No.100001- 200000	AA944AMX	1.5	
130,000 KILOMETERS OR 156 MONTHS	For New Zealand,VIN Serial No.100001- 200000	AA944XMX	1.7	
130,000 KILOMETERS OR 156 MONTHS	For New Zealand,VIN Serial No.200001-	AA944BMX	1.5	
140,000 KILOMETERS OR 168 MONTHS	For Australia,VIN Serial No.100001- 200000	AA945AMX	2.2	
140,000 KILOMETERS OR 168 MONTHS	For New Zealand,VIN Serial No.100001- 200000	AA945XMX	2.3	
140,000 KILOMETERS OR 168 MONTHS	For New Zealand,VIN Serial No.200001- ,With single piston caliper	AA945BMX	2.2	
140,000 KILOMETERS OR 168 MONTHS	For New Zealand,VIN Serial No.200001- ,With 4-pot opposed piston caliper	AA945CMX	2.3	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
150,000 KILOMETERS OR 180 MONTHS	For Australia,Convertible top model,VIN Serial No.100001-200000	AA946AMX	3.4	
150,000 KILOMETERS OR 180 MONTHS	For Australia,Retractable hardtop model,VIN Serial No.100001-200000	AA946BMX	3.5	
150,000 KILOMETERS OR 180 MONTHS	For New Zealand,Convertible top model,VIN Serial No.100001-200000	AA946CMX	3.6	
150,000 KILOMETERS OR 180 MONTHS	For New Zealand,Convertible top model,VIN Serial No.200001-	AA946DMX	3.4	
150,000 KILOMETERS OR 180 MONTHS	For New Zealand,Retractable hardtop model,VIN Serial No.100001-200000	AA946XMX	3.7	
150,000 KILOMETERS OR 180 MONTHS	For New Zealand,Retractable hardtop model,VIN Serial No.200001-	AA946EMX	3.5	
160,000 KILOMETERS OR 192 MONTHS	For Australia,VIN Serial No.100001-200000	AA947AMX	2.2	
160,000 KILOMETERS OR 192 MONTHS	For New Zealand,With single piston caliper	AA947XMX	2.3	
160,000 KILOMETERS OR 192 MONTHS	For New Zealand,With 4-pot opposed piston caliper	AA947BMX	2.4	
170,000 KILOMETERS OR 204 MONTHS	For Australia,VIN Serial No.100001-200000	AA948AMX	1.5	
170,000 KILOMETERS OR 204 MONTHS	For New Zealand,VIN Serial No.100001-200000	AA948XMX	1.7	
170,000 KILOMETERS OR 204 MONTHS	For New Zealand,VIN Serial No.200001-	AA948BMX	1.5	
180,000 KILOMETERS OR 216 MONTHS	For Australia,VIN Serial No.100001-200000	AA949AMX	2.2	
180,000 KILOMETERS OR 216 MONTHS	For New Zealand,VIN Serial No.100001-200000	AA949XMX	2.3	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
180,000 KILOMETERS OR 216 MONTHS	For New Zealand,VIN Serial No.200001- ,With single piston caliper	AA949BMX	2.2	
180,000 KILOMETERS OR 216 MONTHS	For New Zealand,VIN Serial No.200001- ,With 4-pot opposed piston caliper	AA949CMX	2.3	
190,000 KILOMETERS OR 228 MONTHS	For Australia,VIN Serial No.100001- 200000	AA950AMX	1.5	
190,000 KILOMETERS OR 228 MONTHS	For New Zealand,VIN Serial No.100001- 200000	AA950XMX	1.7	
190,000 KILOMETERS OR 228 MONTHS	For New Zealand,VIN Serial No.200001-	AA950BMX	1.5	
200,000 KILOMETERS OR 240 MONTHS	For Australia,VIN Serial No.100001- 200000	AA951AMX	2.8	
200,000 KILOMETERS OR 240 MONTHS	For New Zealand,With single piston caliper	AA951XMX	2.9	
200,000 KILOMETERS OR 240 MONTHS	For New Zealand,With 4-pot opposed piston caliper	AA951BMX	3.0	
AB3 SCHEDULED MAINTENANCE SERVICE (For ISRAEL) (NOT COVERED BY MANUFACTURER'S WARRANTY)				
15,000 KILOMETERS OR 12 MONTHS		AB301XMX	1.2	
30,000 KILOMETERS OR 24 MONTHS		AB302XMX	1.8	
45,000 KILOMETERS OR 36 MONTHS		AB303XMX	1.2	
60,000 KILOMETERS OR 48 MONTHS		AB304XMX	1.8	
75,000 KILOMETERS OR 60 MONTHS		AB305XMX	1.2	
90,000 KILOMETERS OR 72 MONTHS	Without front suspension tower bar,Without i-stop	AB306AMX	2.1	
90,000 KILOMETERS OR 72 MONTHS	Without front suspension tower bar,With i-stop	AB306DMX	2.2	
90,000 KILOMETERS OR 72 MONTHS	With front suspension tower bar,Without i-stop	AB306CMX	2.1	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
90,000 KILOMETERS OR 72 MONTHS	With front suspension tower bar,With i-stop	AB306BMX	2.2	
105,000 KILOMETERS OR 84 MONTHS		AB307XMX	1.2	
120,000 KILOMETERS OR 96 MONTHS		AB308XMX	1.8	
135,000 KILOMETERS OR 108 MONTHS	Convertible top model,Without i-stop	AB309XMX	2.5	
135,000 KILOMETERS OR 108 MONTHS	Convertible top model,With i-stop	AB309AMX	2.6	
135,000 KILOMETERS OR 108 MONTHS	Retractable hardtop model,Without i-stop	AB309BMX	2.6	
135,000 KILOMETERS OR 108 MONTHS	Retractable hardtop model,With i-stop	AB309CMX	2.7	
150,000 KILOMETERS OR 120 MONTHS		AB310XMX	2.2	
165,000 KILOMETERS OR 132 MONTHS		AB311XMX	1.2	
180,000 KILOMETERS OR 144 MONTHS	Without front suspension tower bar,Without i-stop	AB312XMX	2.2	
180,000 KILOMETERS OR 144 MONTHS	Without front suspension tower bar,With i-stop	AB312AMX	2.2	
180,000 KILOMETERS OR 144 MONTHS	With front suspension tower bar,Without i-stop	AB312BMX	2.2	
180,000 KILOMETERS OR 144 MONTHS	With front suspension tower bar,With i-stop	AB312CMX	2.3	
195,000 KILOMETERS OR 156 MONTHS		AB313XMX	1.2	
210,000 KILOMETERS OR 168 MONTHS		AB314XMX	1.8	
225,000 KILOMETERS OR 180 MONTHS		AB315XMX	1.7	
240,000 KILOMETERS OR 192 MONTHS		AB316XMX	1.8	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
AB4 SCHEDULED MAINTENANCE SERVICE (For Russia) (NOT COVERED BY MANUFACTURER'S WARRANTY)				
CHECK BODY CONDITIONS [RUST AND CORROSION]		AB401XCX	0.8	
15,000 KILOMETERS OR 12 MONTHS	Without i-stop	AB403AMX	1.5	
15,000 KILOMETERS OR 12 MONTHS	With i-stop	AB403BMX	1.6	
30,000 KILOMETERS OR 24 MONTHS	<i>Without i-stop,Except for Azerbaijan and Armenia,Without front suspension tower bar,With single piston caliper</i>	AB405AMX	2.0	
30,000 KILOMETERS OR 24 MONTHS	<i>Without i-stop,Except for Azerbaijan and Armenia,Without front suspension tower bar,With 4-pot opposed piston caliper</i>	AB405BMX	2.1	
30,000 KILOMETERS OR 24 MONTHS	<i>Without i-stop,Except for Azerbaijan and Armenia,With front suspension tower bar</i>	AB405CMX	2.1	
30,000 KILOMETERS OR 24 MONTHS	Without i-stop,For Azerbaijan,With single piston caliper	AB405DMX	2.0	
30,000 KILOMETERS OR 24 MONTHS	Without i-stop,For Azerbaijan,With 4-pot opposed piston caliper	AB405EMX	2.1	
<i>30,000 KILOMETERS OR 24 MONTHS</i>	<i>Without i-stop,For Armenia,VIN Serial No.550001-,With single piston caliper</i>	<i>AB405GMX</i>	<i>2.0</i>	
<i>30,000 KILOMETERS OR 24 MONTHS</i>	<i>Without i-stop,For Armenia,VIN Serial No.550001-,With 4-pot opposed piston caliper</i>	<i>AB405HMX</i>	<i>2.1</i>	
30,000 KILOMETERS OR 24 MONTHS	With i-stop	AB405FMX	2.1	
45,000 KILOMETERS OR 36 MONTHS	Without i-stop	AB408AMX	1.5	
45,000 KILOMETERS OR 36 MONTHS	With i-stop	AB408BMX	1.6	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
60,000 KILOMETERS OR 48 MONTHS	<i>Except for Azerbaijan and Armenia,Without i-stop,With single piston caliper</i>	AB410AMX	2.1	
60,000 KILOMETERS OR 48 MONTHS	<i>Except for Azerbaijan and Armenia,Without i-stop,With 4-pot opposed piston caliper</i>	AB410BMX	2.2	
60,000 KILOMETERS OR 48 MONTHS	<i>Except for Azerbaijan and Armenia,With i-stop</i>	AB410CMX	2.2	
60,000 KILOMETERS OR 48 MONTHS	For Azerbaijan,Convertible top model	AB410DMX	3.4	
60,000 KILOMETERS OR 48 MONTHS	For Azerbaijan,Retractable hardtop model,Without i-stop,Without front suspension tower bar,With single piston caliper	AB410EMX	3.4	
60,000 KILOMETERS OR 48 MONTHS	For Azerbaijan,Retractable hardtop model,Without i-stop,Without front suspension tower bar,With 4-pot opposed piston caliper	AB410FMX	3.5	
60,000 KILOMETERS OR 48 MONTHS	For Azerbaijan,Retractable hardtop model,Without i-stop,With front suspension tower bar	AB410GMX	3.5	
60,000 KILOMETERS OR 48 MONTHS	For Azerbaijan,Retractable hardtop model,With i-stop	AB410HMX	3.5	
60,000 KILOMETERS OR 48 MONTHS	<i>For Armenia,VIN Serial No.550001- ,Convertible top model</i>	<i>AB410JMX</i>	<i>3.4</i>	
60,000 KILOMETERS OR 48 MONTHS	<i>For Armenia,VIN Serial No.550001- ,Retractable hardtop model,Without i-stop,Without front suspension tower bar,With single piston caliper</i>	<i>AB410KMX</i>	<i>3.4</i>	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
60,000 KILOMETERS OR 48 MONTHS	<i>For Armenia, VIN Serial No.550001- ,Retractable hardtop model,Without i- stop,Without front suspension tower bar,With 4-pot opposed piston caliper</i>	<i>AB410LMX</i>	<i>3.5</i>	
60,000 KILOMETERS OR 48 MONTHS	<i>For Armenia, VIN Serial No.550001- ,Retractable hardtop model,Without i- stop,With front suspension tower bar</i>	<i>AB410MMX</i>	<i>3.5</i>	
60,000 KILOMETERS OR 48 MONTHS	<i>For Armenia, VIN Serial No.550001- ,Retractable hardtop model,With i- stop</i>	<i>AB410NMX</i>	<i>3.5</i>	
75,000 KILOMETERS OR 60 MONTHS	Without i-stop	AB413AMX	1.7	
75,000 KILOMETERS OR 60 MONTHS	With i-stop,Without front suspension tower bar	AB413BMX	1.7	
75,000 KILOMETERS OR 60 MONTHS	With i-stop,With front suspension tower bar	AB413CMX	1.8	
90,000 KILOMETERS OR 72 MONTHS	Without i-stop,With single piston caliper	AB415AMX	2.0	
90,000 KILOMETERS OR 72 MONTHS	Without i-stop,With 4-pot opposed piston caliper	AB415BMX	2.1	
90,000 KILOMETERS OR 72 MONTHS	With i-stop	AB415CMX	2.1	
105,000 KILOMETERS OR 84 MONTHS	Without i-stop	AB418AMX	1.5	
105,000 KILOMETERS OR 84 MONTHS	With i-stop	AB418BMX	1.6	
120,000 KILOMETERS OR 96 MONTHS	<i>Convertible top model,Except for Azerbaijan and Armenia,Without i- stop,Without front suspension tower bar</i>	<i>AB420AMX</i>	<i>3.4</i>	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
120,000 KILOMETERS OR 96 MONTHS	<i>Convertible top model,Except for Azerbaijan and Armenia,Without i-stop,With front suspension tower bar,With single piston caliper</i>	AB420BMX	3.4	
120,000 KILOMETERS OR 96 MONTHS	<i>Convertible top model,Except for Azerbaijan and Armenia,Without i-stop,With front suspension tower bar,With 4-pot opposed piston caliper</i>	AB420CMX	3.5	
120,000 KILOMETERS OR 96 MONTHS	<i>Convertible top model,Except for Azerbaijan and Armenia,With i-stop,Without front suspension tower bar</i>	AB420DMX	3.4	
120,000 KILOMETERS OR 96 MONTHS	<i>Convertible top model,Except for Azerbaijan and Armenia,With i-stop,With front suspension tower bar</i>	AB420EMX	3.5	
120,000 KILOMETERS OR 96 MONTHS	Convertible top model,For Azerbaijan	AB420FMX	3.4	
120,000 KILOMETERS OR 96 MONTHS	<i>Convertible top model,For Armenia,VIN Serial No.550001-</i>	<i>AB420LMX</i>	<i>3.4</i>	
120,000 KILOMETERS OR 96 MONTHS	Retractable hardtop model,Without i-stop,Without front suspension tower bar,With single piston caliper	AB420GMX	3.4	
120,000 KILOMETERS OR 96 MONTHS	Retractable hardtop model,Without i-stop,Without front suspension tower bar,With 4-pot opposed piston caliper	AB420HMX	3.5	
120,000 KILOMETERS OR 96 MONTHS	Retractable hardtop model,Without i-stop,With front suspension tower bar	AB420JMX	3.5	
120,000 KILOMETERS OR 96 MONTHS	Retractable hardtop model,With i-stop	AB420KMX	3.5	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
135,000 KILOMETERS OR 108 MONTHS	Without i-stop	AB423AMX	1.5	
135,000 KILOMETERS OR 108 MONTHS	With i-stop	AB423BMX	1.6	
150,000 KILOMETERS OR 120 MONTHS	<i>Without i-stop,Except for Azerbaijan and Armenia,Without front suspension tower bar,With single piston caliper</i>	AB425AMX	2.6	
150,000 KILOMETERS OR 120 MONTHS	<i>Without i-stop,Except for Azerbaijan and Armenia,Without front suspension tower bar,With 4-pot opposed piston caliper</i>	AB425BMX	2.7	
150,000 KILOMETERS OR 120 MONTHS	<i>Without i-stop,Except for Azerbaijan and Armenia,With front suspension tower bar</i>	AB425CMX	2.7	
150,000 KILOMETERS OR 120 MONTHS	Without i-stop,For Azerbaijan,With single piston caliper	AB425DMX	2.6	
150,000 KILOMETERS OR 120 MONTHS	Without i-stop,For Azerbaijan,With 4-pot opposed piston caliper	AB425EMX	2.7	
<i>150,000 KILOMETERS OR 120 MONTHS</i>	<i>Without i-stop,For Armenia,VIN Serial No.550001-,With single piston caliper</i>	<i>AB425GMX</i>	<i>2.6</i>	
<i>150,000 KILOMETERS OR 120 MONTHS</i>	<i>Without i-stop,For Armenia,VIN Serial No.550001-,With 4-pot opposed piston caliper</i>	<i>AB425HMX</i>	<i>2.7</i>	
150,000 KILOMETERS OR 120 MONTHS	With i-stop	AB425FMX	2.7	
165,000 KILOMETERS OR 132 MONTHS	Without i-stop	AB428AMX	1.5	
165,000 KILOMETERS OR 132 MONTHS	With i-stop	AB428BMX	1.6	
180,000 KILOMETERS OR 144 MONTHS	<i>Except for Azerbaijan and Armenia,Without i-stop,Without front suspension tower bar</i>	AB430AMX	2.1	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
180,000 KILOMETERS OR 144 MONTHS	<i>Except for Azerbaijan and Armenia, Without i-stop, With front suspension tower bar, With single piston caliper</i>	AB430BMX	2.1	
180,000 KILOMETERS OR 144 MONTHS	<i>Except for Azerbaijan and Armenia, Without i-stop, With front suspension tower bar, With 4-pot opposed piston caliper</i>	AB430CMX	2.2	
180,000 KILOMETERS OR 144 MONTHS	<i>Except for Azerbaijan and Armenia, With i-stop, Without front suspension tower bar</i>	AB430DMX	2.1	
180,000 KILOMETERS OR 144 MONTHS	<i>Except for Azerbaijan and Armenia, With i-stop, With front suspension tower bar</i>	AB430EMX	2.2	
180,000 KILOMETERS OR 144 MONTHS	For Azerbaijan, Convertible top model	AB430FMX	3.4	
180,000 KILOMETERS OR 144 MONTHS	For Azerbaijan, Retractable hardtop model, Without i-stop, Without front suspension tower bar, With single piston caliper	AB430GMX	3.4	
180,000 KILOMETERS OR 144 MONTHS	For Azerbaijan, Retractable hardtop model, Without i-stop, Without front suspension tower bar, With 4-pot opposed piston caliper	AB430HMX	3.5	
180,000 KILOMETERS OR 144 MONTHS	For Azerbaijan, Retractable hardtop model, Without i-stop, With front suspension tower bar	AB430JMX	3.5	
180,000 KILOMETERS OR 144 MONTHS	For Azerbaijan, Retractable hardtop model, With i-stop	AB430KMX	3.5	
180,000 KILOMETERS OR 144 MONTHS	<i>For Armenia, VIN Serial No.550001- , Convertible top model</i>	<i>AB430LMX</i>	<i>3.4</i>	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
180,000 KILOMETERS OR 144 MONTHS	<i>For Armenia, VIN Serial No.550001- ,Retractable hardtop model,Without i- stop,Without front suspension tower bar,With single piston caliper</i>	AB430MMX	3.4	
180,000 KILOMETERS OR 144 MONTHS	<i>For Armenia, VIN Serial No.550001- ,Retractable hardtop model,Without i- stop,Without front suspension tower bar,With 4-pot opposed piston caliper</i>	AB430NMX	3.5	
180,000 KILOMETERS OR 144 MONTHS	<i>For Armenia, VIN Serial No.550001- ,Retractable hardtop model,Without i- stop,With front suspension tower bar</i>	AB430PMX	3.5	
180,000 KILOMETERS OR 144 MONTHS	<i>For Armenia, VIN Serial No.550001- ,Retractable hardtop model,With i- stop</i>	AB430QMX	3.5	
195,000 KILOMETERS OR 156 MONTHS	Without i-stop	AB433AMX	1.5	
195,000 KILOMETERS OR 156 MONTHS	With i-stop	AB433BMX	1.6	
210,000 KILOMETERS OR 168 MONTHS	<i>Without i-stop,Except for Azerbaijan and Armenia,Without front suspension tower bar,With single piston caliper</i>	AB435AMX	2.0	
210,000 KILOMETERS OR 168 MONTHS	<i>Without i-stop,Except for Azerbaijan and Armenia,Without front suspension tower bar,With 4-pot opposed piston caliper</i>	AB435BMX	2.1	
210,000 KILOMETERS OR 168 MONTHS	<i>Without i-stop,Except for Azerbaijan and Armenia,With front suspension tower bar</i>	AB435CMX	2.1	
210,000 KILOMETERS OR 168 MONTHS	Without i-stop,For Azerbaijan,With single piston caliper	AB435DMX	2.0	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
210,000 KILOMETERS OR 168 MONTHS	Without i-stop,For Azerbaijan,With 4-pot opposed piston caliper	AB435EMX	2.1	
210,000 KILOMETERS OR 168 MONTHS	<i>Without i-stop,For Armenia,VIN Serial No.550001-,With single piston caliper</i>	AB435GMX	2.0	
210,000 KILOMETERS OR 168 MONTHS	<i>Without i-stop,For Armenia,VIN Serial No.550001-,With 4-pot opposed piston caliper</i>	AB435HMX	2.1	
210,000 KILOMETERS OR 168 MONTHS	With i-stop	AB435FMX	2.1	
225,000 KILOMETERS OR 180 MONTHS	Without i-stop	AB438AMX	2.1	
225,000 KILOMETERS OR 180 MONTHS	With i-stop	AB438BMX	2.2	
240,000 KILOMETERS OR 192 MONTHS	<i>Convertible top model,Except for Azerbaijan and Armenia,Without i-stop,Without front suspension tower bar</i>	AB440AMX	3.4	
240,000 KILOMETERS OR 192 MONTHS	<i>Convertible top model,Except for Azerbaijan and Armenia,Without i-stop,With front suspension tower bar,With single piston caliper</i>	AB440BMX	3.4	
240,000 KILOMETERS OR 192 MONTHS	<i>Convertible top model,Except for Azerbaijan and Armenia,Without i-stop,With front suspension tower bar,With 4-pot opposed piston caliper</i>	AB440CMX	3.5	
240,000 KILOMETERS OR 192 MONTHS	<i>Convertible top model,Except for Azerbaijan and Armenia,With i-stop,Without front suspension tower bar</i>	AB440DMX	3.4	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
240,000 KILOMETERS OR 192 MONTHS	Convertible top model,Except for Azerbaijan and Armenia,With i-stop,With front suspension tower bar	AB440EMX	3.5	
240,000 KILOMETERS OR 192 MONTHS	Convertible top model,For Azerbaijan	AB440FMX	3.4	
240,000 KILOMETERS OR 192 MONTHS	Convertible top model,For Armenia,VIN Serial No.550001-	AB440LMX	3.4	
240,000 KILOMETERS OR 192 MONTHS	Retractable hardtop model,Without i-stop,Without front suspension tower bar,With single piston caliper	AB440GMX	3.4	
240,000 KILOMETERS OR 192 MONTHS	Retractable hardtop model,Without i-stop,Without front suspension tower bar,With 4-pot opposed piston caliper	AB440HMX	3.5	
240,000 KILOMETERS OR 192 MONTHS	Retractable hardtop model,Without i-stop,With front suspension tower bar	AB440JMX	3.5	
240,000 KILOMETERS OR 192 MONTHS	Retractable hardtop model,With i-stop	AB440KMX	3.5	
AC1 MAINTENANCE AND ADJUSTMENTS (NOT COVERED BY MANUFACTURER'S WARRANTY)				
COMPRESSION PRESSURE, CHECK	Without i-stop	AC101ACX	0.6	◆Spark plug (G0102), R&R
COMPRESSION PRESSURE, CHECK	With i-stop	AC101BCX	0.7	◆Spark plug (G0102), R&R
CHARCOAL CANISTER, CHECK		AC103XCX	0.3	
POSITIVE CRANKCASE VENTILATION [PCV] VALVE, CHECK	Without i-stop,Without front suspension tower bar	AC105ACX	1.7	◆Intake manifold gasket (F0102), R&R
POSITIVE CRANKCASE VENTILATION [PCV] VALVE, CHECK	[Without i-stop,With front suspension tower bar]/[With i-stop,Without front suspension tower bar]	AC105BCX	1.8	◆Intake manifold gasket (F0102), R&R
POSITIVE CRANKCASE VENTILATION [PCV] VALVE, CHECK	With i-stop,With front suspension tower bar	AC105CCX	1.9	◆Intake manifold gasket (F0102), R&R
FUEL EVAPORATIVE LINE, CHECK FOR LEAK		AC116XCX	0.3	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
VENTILATION HOSE [CHARCOAL CANISTER], CHECK		AC117XCX	0.5	
ENGINE OIL, CHECK FOR LEAK	Without plate	AC118ACX	0.3	
ENGINE OIL, CHECK FOR LEAK	With plate	AC118BCX	0.4	
ENGINE OIL, CHANGE		AC118XRX	0.5	
ENGINE OIL PRESSURE, CHECK	Without i-stop	AC119ACX	0.6	◆Oil pressure switch (T0504), R&R
ENGINE OIL PRESSURE, CHECK	With i-stop	AC119BCX	0.7	◆Oil pressure switch (T0504), R&R
COOLING SYSTEM, CHECK FOR LEAK		AC121XCX	0.2	
ENGINE COOLANT, CHANGE		AC122XRX	0.6	
FUEL PUMP FEEDING PRESSURE, CHECK	Without i-stop	AC123ACX	0.3	
FUEL PUMP FEEDING PRESSURE, CHECK	With i-stop	AC123BCX	0.4	
FUEL LINE AND CONNECTION, CHECK FOR LEAK		AC124XCX	0.3	
ACCELERATOR LINKAGE AND CHOKE MECHANISM, CHECK		AC125XCX	0.2	
FILLER CAP [FUEL TANK], CHECK		AC126XCX	0.2	
BATTERY TERMINAL, CLEAN AND CHECK		AC130XCX	0.2	
IGNITION COIL [ALL], CHECK	Without i-stop	AC132ACX	0.2	
IGNITION COIL [ALL], CHECK	With i-stop	AC132BCX	0.3	
LIGHT AND METER, CHECK		AC136XCX	0.2	
SEAT BELT WARNING SYSTEM, CHECK		AC138XCX	0.2	
SEAT BELT EMERGENCY LOCKING RETRACTOR, CHECK		AC139XCX	0.2	
CLIMATE MODE CONTROL, CHECK		AC140XCX	0.3	
CLUTCH FLUID LEVEL, CHECK		AC143XCX	0.2	
CLUTCH FLUID [CLUTCH LINE], CHANGE		AC144XRX	0.4	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
MANUAL TRANSMISSION GEAR OIL, CHANGE		AC146XRX	0.4	
AUTOMATIC TRANSMISSION FLUID LEVEL, CHECK AND ADJUST		AC147XAX	0.4	
REAR AXLE OIL, CHANGE		AC149XRX	0.3	
BRAKE FLUID LEVEL, CHECK		AC154XCX	0.2	
DISC BRAKE PAD [ALL], CHECK AND ADJUST	Front side	AC158AAX	0.5	
DISC BRAKE PAD [ALL], CHECK AND ADJUST	Rear side	AC158BAX	0.6	
DISC BRAKE PAD [ALL], CHECK AND ADJUST	All	AC158CAX	0.8	
PARKING BRAKE, CHECK AND ADJUST		AC159XAX	0.3	
BRAKE FLUID, CHANGE	With single piston caliper	AC160XRX	0.7	
BRAKE FLUID, CHANGE	With 4-pot opposed piston caliper	AC160ARX	0.9	
WHEEL, INTERCHANGE		AC162XRX	0.7	◆Tire pressure, Adjust
PURGE SOLENOID VALVE, CHECK	Without i-stop	AC176ACX	0.2	
PURGE SOLENOID VALVE, CHECK	With i-stop	AC176BCX	0.3	
RADIATOR FILLER CAP, CHECK		AC177XCX	0.2	
OXYGEN SENSOR, CHECK	All	AC178XCX	0.5	
BOOST SENSOR, CHECK		AC182XCX	0.2	
ENGINE COOLANT TEMPERATURE SENSOR/CYLINDER HEAD TEMPERATURE SENSOR, CHECK	Without i-stop	AC183ACX	0.7	◆Engine coolant temperature sensor (F0810), R&R
ENGINE COOLANT TEMPERATURE SENSOR/CYLINDER HEAD TEMPERATURE SENSOR, CHECK	With i-stop	AC183BCX	0.8	◆Engine coolant temperature sensor (F0810), R&R
VOLTAGE REGULATOR, CHECK		AC186XCX	0.4	
TIRE PRESSURE, CHECK AND ADJUST		AC189XAX	0.2	
WHEEL LUGNUT OR BOLT, CHECK AND RETIGHTEN		AC190XTX	0.2	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
AUTOMATIC TRANSMISSION LINE PRESSURE, CHECK		AC191XCX	0.6	
AUTOMATIC TRANSMISSION LINE PRESSURE & OPERATION, CHECK		AC193XCX	0.8	◆Stall test◆Time lag test◆Oil pressure test
ATF, CHANGE		AC197XRX	0.5	
A/T COOLER FLUSHING AND ATF CHANGE		AC198XGX	0.7	
AE1 MY MAZDA SERVICE (For ECE) (NOT COVERED BY MANUFACTURER'S WARRANTY)				
MY MAZDA SERVICE 1st		AE101XMX	1.0	
MY MAZDA SERVICE 2nd	With single piston caliper	AE102XMX	1.7	
MY MAZDA SERVICE 2nd	With 4-pot opposed piston caliper	AE102AMX	1.8	
MY MAZDA SERVICE 3rd		AE103XMX	1.1	
MY MAZDA SERVICE 4th	With single piston caliper	AE104XMX	1.7	
MY MAZDA SERVICE 4th	With 4-pot opposed piston caliper	AE104AMX	1.8	
MY MAZDA SERVICE 5th		AE105XMX	1.1	
MY MAZDA SERVICE 6th	With single piston caliper	AE106XMX	1.8	
MY MAZDA SERVICE 6th	With 4-pot opposed piston caliper	AE106AMX	1.9	
MY MAZDA SERVICE 7th		AE107XMX	1.0	
MY MAZDA SERVICE 8th	With single piston caliper	AE108XMX	1.7	
MY MAZDA SERVICE 8th	With 4-pot opposed piston caliper	AE108AMX	1.8	
MY MAZDA SERVICE 9th		AE109XMX	1.1	
MY MAZDA SERVICE 10th		AE110XMX	1.9	
MY MAZDA SERVICE 11th		AE111XMX	1.0	
MY MAZDA SERVICE 12th	With single piston caliper	AE112XMX	1.8	
MY MAZDA SERVICE 12th	With 4-pot opposed piston caliper	AE112AMX	1.9	
SPARK PLUGS REPLACE	Without i-stop	AE152AMX	0.3	
SPARK PLUGS REPLACE	With i-stop	AE152BMX	0.4	
ENGINE COOLANT REPLACE		AE153XMX	0.6	
EXHAUST SYSTEM AND HEAT SHIELDS INSPECT		AE155XMX	0.2	
SELF-TEST WITH MAZDA MODULAR DIAGNOSTIC SYSTEM [M-MDS]		AE159XMX	0.2	

OPERATION	VARIATION	OPERATION NUMBER	REPAIR TIME	INCLUDES
AE2 MAINTENANCE SERVICE (For ADR) (NOT COVERED BY MANUFACTURER'S WARRANTY)				
MAINTENANCE SERVICE 1	VIN Serial No.200001-	AE201XMX	1.3	
MAINTENANCE SERVICE 2	VIN Serial No.200001-	AE202XMX	1.8	
MAINTENANCE SERVICE 3	VIN Serial No.200001-	AE203XMX	1.2	
MAINTENANCE SERVICE 4	VIN Serial No.200001-	AE204XMX	1.8	
MAINTENANCE SERVICE 5	VIN Serial No.200001-	AE205XMX	1.3	
MAINTENANCE SERVICE 6	VIN Serial No.200001-	AE206XMX	1.8	
MAINTENANCE SERVICE 7	VIN Serial No.200001-	AE207XMX	1.2	
MAINTENANCE SERVICE 8	VIN Serial No.200001-	AE208XMX	1.8	
MAINTENANCE SERVICE 9	VIN Serial No.200001-	AE209XMX	1.3	
MAINTENANCE SERVICE 10	VIN Serial No.200001-	AE210XMX	1.8	
MAINTENANCE SERVICE 11	VIN Serial No.200001-	AE211XMX	1.2	
MAINTENANCE SERVICE 12	VIN Serial No.200001-	AE212XMX	1.8	
MAINTENANCE SERVICE 13	VIN Serial No.200001-	AE213XMX	1.3	
MAINTENANCE SERVICE 14	VIN Serial No.200001-	AE214XMX	1.8	
MAINTENANCE SERVICE 15	VIN Serial No.200001-	AE215XMX	1.2	
MAINTENANCE SERVICE 16	VIN Serial No.200001-	AE216XMX	1.8	
FUEL FILTER REPLACE	VIN Serial No.200001-,Convertible top model	AE251AMX	1.4	
FUEL FILTER REPLACE	VIN Serial No.200001-,Retractable hardtop model	AE251BMX	1.5	
SPARK PLUGS REPLACE	VIN Serial No.200001-	AE252XMX	0.3	
AIR FILTER REPLACE	VIN Serial No.200001-	AE253XMX	0.2	
ENGINE COOLANT REPLACE	VIN Serial No.200001-	AE255XMX	0.6	
BRAKE FLUID REPLACE	VIN Serial No.200001-,With single piston caliper	AE256AMX	0.7	
BRAKE FLUID REPLACE	VIN Serial No.200001-,With 4-pot opposed piston caliper	AE256BMX	0.9	
MANUAL TRANSAXLE/TRANSMISSION OIL REPLACE	VIN Serial No.200001-	AE257XMX	0.4	
REAR DIFFERENTIAL OIL REPLACE	VIN Serial No.200001-	AE258XMX	0.3	